

***IV. INDICADORES
DENDROMÉTRICOS***

400. Valores de parámetros dendrométricos del pie mayor medio

Pino negral

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3	239,707	223,721	110,788	108,927	128,319	380,925	163,338	316,461	103,746	198,726
VSC dm3	164,171	141,389	64,997	61,492	79,564	258,843	103,626	211,119	61,784	129,071
IASC dm3	9,935	6,167	6,815	7,786	8,653	12,325	6,437	11,058	7,571	8,254
VLE dm3	11,935	12,498	6,870	6,927	6,674	19,867	8,985	17,576	6,179	10,756
Diámetro normal (cm)	20,4	21,6	17,0	17,2	16,8	26,9	18,3	25,6	16,5	19,9
Altura total (m)	9,90	9,09	7,66	7,19	9,45	10,04	7,99	9,64	8,30	8,82

Pino silvestre

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3	170,426	166,690	75,696	73,079	138,597	266,274	201,718		53,198	158,666
VSC dm3	140,978	131,201	58,406	54,576	107,862	224,034	162,706		41,323	127,328
IASC dm3	9,509	5,601	6,666	5,581	9,475	9,198	6,453		6,329	6,624
VLE dm3	11,221	10,136	5,554	5,674	8,871	13,534	11,238		4,191	9,417
Diámetro normal (cm)	18,6	17,6	14,1	14,6	17,3	19,3	18,1		12,6	16,9
Altura total (m)	8,77	9,45	8,20	8,04	9,92	10,93	10,10		7,36	9,34

Pino piñonero

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3	245,154	147,207				312,436		202,790	89,969	198,613
VSC dm3	174,922	102,198				229,921		146,238	59,894	142,544
IASC dm3	7,680	5,850				9,847		7,553	6,191	7,474
VLE dm3	35,503	13,328				36,413		21,348	9,108	22,116
Diámetro normal (cm)	25,2	19,6				27,0		22,8	17,3	22,6
Altura total (m)	7,81	6,49				7,92		7,23	5,59	7,12

400. Valores de parámetros dendrométricos del pie mayor medio. Continuación

Pino laricio

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3	169,898	75,653	59,659	44,107	110,854	47,897	84,245		50,679	65,861
VSC dm3	126,137	53,272	41,433	30,535	73,900	33,796	56,914		34,032	45,577
IAVC dm3	9,926	4,918	6,365	4,260	7,292	4,722	4,155		5,752	5,185
VLE dm3	9,436	4,760	3,823	3,320	7,176	3,357	5,038		3,348	4,247
Diámetro normal (cm)	17,9	14,0	13,3	12,8	16,5	12,5	14,2		12,7	13,5
Altura total (m)	8,71	7,40	7,22	6,07	10,41	6,55	7,28		6,77	7,04

Pino insigne

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3		243,667	85,042							175,424
VSC dm3		190,495	66,834							137,294
IAVC dm3		19,731	11,119							16,026
VLE dm3		14,551	7,107							11,349
Diámetro normal (cm)		19,2	13,4							16,7
Altura total (m)		12,95	12,59							12,80

Pino carrasco

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3				28,748				29,155		29,062
VSC dm3				19,585				21,444		21,021
IAVC dm3				1,981				5,117		4,402
VLE dm3				2,944				3,304		3,222
Diámetro normal (cm)				11,3				12,0		11,9
Altura total (m)				4,60				4,87		4,81

400. Valores de parámetros dendrométricos del pie mayor medio. Continuación

Enebro, sabina

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3	24,117	52,199				59,162	55,165			53,439
VSC dm3	19,349	39,314				45,590	41,999			40,614
IAVC dm3	5,000	1,383				1,454	1,412			1,523
VLE dm3	3,668	5,988				7,241	6,810			6,470
Diámetro normal (cm)	11,3	14,4				14,8	14,7			14,5
Altura total (m)	4,38	4,97				4,79	4,87			4,88

Encina

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3	63,806	35,899	28,096	36,222	148,013	41,830	38,316	29,065	54,426	51,063
VSC dm3	49,797	26,734	20,893	25,091	122,545	31,624	27,656	23,368	41,109	39,218
IAVC dm3										
VLE dm3	40,892	6,318	10,442	6,521	109,071	11,237	6,392	13,122	28,996	21,344
Diámetro normal (cm)	16,8	11,1	12,3	10,8	25,3	12,0	11,3	12,5	16,6	13,5
Altura total (m)	4,66	4,54	4,36		5,39	4,41	4,54	4,69	4,70	4,64

Rebollo

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3	73,417	60,926	57,180	51,537	64,120	40,332	41,709		67,381	57,526
VSC dm3	51,214	41,729	40,782	33,592	45,587	28,025	28,393		48,257	40,032
IAVC dm3	5,235	2,029	5,067	2,106	5,141	1,294	1,649		5,292	3,485
VLE dm3	10,256	8,977	8,498	6,441	9,311	5,747	6,177		10,117	8,312
Diámetro normal (cm)	14,3	13,0	12,9	12,3	13,8	11,8	11,7		14,0	13,0
Altura total (m)	7,53	7,42	7,20	6,88	8,30	6,79	6,80		7,51	7,42

400. Valores de parámetros dendrométricos del pie mayor medio. Continuación

Quejigo

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3		45,987		37,037	171,722		36,186	21,833	61,597	46,752
VSC dm3		32,402		25,631	134,434		23,767	15,935	45,951	33,058
IAVC dm3		1,533		1,171	5,113		1,074	5,008	5,003	1,797
VLE dm3		7,925		4,561	66,724		7,225	4,409	15,517	9,721
Diámetro normal (cm)		12,5		11,4	28,1		11,7	11,3	15,9	12,8
Altura total (m)		6,22		4,49	6,65		5,25	4,87	4,66	5,79

Alcornoque

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3					306,663					306,663
VSC dm3					249,208					249,208
IAVC dm3										
VLE dm3					269,644					269,644
Diámetro normal (cm)					33,1					33,1
Altura total (m)					7,67					7,67

Roble albar, carballo

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3		218,402	174,554	132,565						165,149
VSC dm3		169,111	139,044	93,724						126,312
IAVC dm3		5,102	5,291	3,825						4,706
VLE dm3		22,612	21,602	16,845						19,944
Diámetro normal (cm)		18,0	34,1	16,3						17,0
Altura total (m)		11,75	9,16	8,98						9,48

400. Valores de parámetros dendrométricos del pie mayor medio. Continuación

Haya

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3		152,761	135,056	127,809			153,237			140,978
VSC dm3		137,819	120,988	111,889			139,863			126,303
IAVC dm3		3,707	5,245	3,771			3,625			4,355
VLE dm3		14,302	14,201	12,687			15,179			14,016
Diámetro normal (cm)		16,4	16,7	16,1			16,9			16,5
Altura total (m)		11,79	10,18	9,56			11,57			10,71

Castaño

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3	151,483		337,384		65,981					120,939
VSC dm3	125,618		281,773		51,701					98,446
IAVC dm3	5,791		5,862		5,133					5,328
VLE dm3	24,766		115,487		7,348					27,429
Diámetro normal (cm)	18,4		29,5		13,4					16,7
Altura total (m)	10,25		10,11		9,80					9,90

Chopo

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3		380,590	270,982	211,478	205,374	287,884	303,915		362,279	307,290
VSC dm3		301,952	219,046	182,310	164,721	244,803	239,052		310,462	251,404
IAVC dm3		21,695	27,631	25,059	25,336	28,200	15,942		29,970	24,658
VLE dm3		18,201	16,071	11,609	12,669	15,681	17,445		17,446	16,269
Diámetro normal (cm)		21,6	20,5	17,7	18,9	20,3	20,7		21,1	20,5
Altura total (m)		18,61	14,91	14,51	16,36	16,82	17,31		16,19	16,67

400. Valores de parámetros dendrométricos del pie mayor medio. Continuación

Eucalipto

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3					107,274					107,274
VSC dm3					86,736					86,736
IAVC dm3					18,464					18,464
VLE dm3					9,568					9,568
Diámetro normal (cm)					15,9					15,9
Altura total (m)					12,24					12,24

Abedul

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3			90,323							90,323
VSC dm3			72,524							72,524
IAVC dm3			9,663							9,663
VLE dm3			11,212							11,212
Diámetro normal (cm)			15,6							15,6
Altura total (m)			8,23							8,23

Fresno

	Ávila	Burgos	León	Palencia	Salamanca	Segovia	Soria	Valladolid	Zamora	Castilla y León
VCC dm3	220,950				137,825	283,527				180,207
VSC dm3	181,619				111,300	233,373				146,913
IAVC dm3	8,698				7,331	8,951				7,870
VLE dm3	71,706				35,819	77,532				49,820
Diámetro normal (cm)	25,0				19,5	23,7				21,2
Altura total (m)					8,40	-				-

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Pino negral

Prov	C.D.	1	2	3	4	5	6	Todas
Ávila	10		21,08	18,38	15,83		17,45	19,98
	15		69,09	58,35	52,22		74,15	67,07
	20		144,12	118,44	102,57		143,39	141,25
	25		254,45	198,69	168,32		246,12	249,49
	30		403,37	369,10			368,03	400,44
	35		592,75	540,93	502,67		606,55	589,49
	40		864,08	758,87	657,42			857,90
	45		1.176,41	1.096,63			1.068,30	1.169,55
	50		1.563,98	1.388,21				1.555,24
	55		1.901,65	1.573,04				1.866,84
	60		2.202,46	2.247,17				2.202,82
65		2.657,99	2.474,69				2.624,30	
70 y sup.		4.224,44	3.933,18				3.525,17	4.127,56
Burgos	10		21,16	21,31	21,49	23,46		21,26
	15		61,91	61,34	54,20	61,27	54,93	61,46
	20		134,78	125,45	113,17	113,75	122,96	132,43
	25		240,60	218,44	252,33	202,98	210,43	235,84
	30		379,15	338,00	396,88	350,52	341,55	373,15
	35		547,04	466,27	499,41	461,91	520,61	528,55
	40		783,79	661,00	713,51	600,82	768,90	759,75
	45		1.037,22	956,97	924,92	717,00	1.085,83	1.008,14
	50		1.364,26	1.287,49	1.098,65	1.113,11		1.300,83
	55		1.670,21	1.657,65	1.495,75	1.310,41		1.579,66
	60		2.006,93		1.330,87			1.751,86
65		2.420,36		2.017,01			2.225,13	
70 y sup.								2.822,80
León	10		21,34	18,46	18,03	17,87	17,62	19,90
	15		62,15	59,12	44,28	51,25	53,62	60,71
	20		129,51	127,65	117,33	119,28	124,29	128,96
	25		233,48	220,56	193,14		213,98	231,84
	30		343,78	329,05	350,40		305,03	342,24
	35		487,35	457,15			449,64	484,81
	40		674,40					669,94
	45		902,38					910,31
	50							986,85
Palencia	10		28,91	19,48	13,80			21,36
	15		63,76	52,24		45,04		58,69
	20		127,79	110,48				124,79
	25		209,56	179,90				207,16
	30		334,48	356,44				335,69
	35		481,34					483,75
	40		664,58					669,87
45		900,88					877,66	
Salamanca	10		23,72	25,20	19,84		16,18	23,26
	15		74,32	62,81	70,02	57,35	62,04	72,44
	20		154,55	126,48	122,99		160,65	152,69
	25		264,57	223,82		171,12	239,97	262,05
	30		404,26	313,88				401,46
	35		606,12					604,47
	40		897,12					880,17
	45		1.151,73					1.124,94
	50		1.412,43					1.412,43
55		1.914,72					1.914,72	
Segovia	10		19,25	18,94				19,49
	15		55,77	51,37	52,28	47,66	74,57	54,75
	20		126,40	109,66	94,04	73,91	133,06	121,73
	25		238,62	229,19	185,38	174,51	240,80	235,53
	30		398,63	409,50	354,43	301,14	423,94	399,44
	35		587,76	606,13	503,84	409,34	609,16	589,02
	40		797,74	823,00	850,76		796,75	803,81
	45		1.052,42	1.015,71	964,13	1.132,34	1.027,09	1.041,87
	50		1.305,74	1.269,32	1.264,98	1.343,56		1.294,83
	55		1.633,15	1.512,46	1.629,81			1.596,33
	60		2.007,63	1.825,54	1.859,68			1.921,06
65		2.398,65	2.381,74	2.254,61			2.360,20	
70 y sup.		3.263,59	3.126,17	3.243,51				3.204,26

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Pino negral

Prov	C.D.	1	2	3	4	5	6	Todas
Soria	10		18,91	23,90	22,97			19,44
	15		55,36	59,01	62,98		64,01	55,61
	20		125,80	124,07	139,55		134,16	125,84
	25		237,00	246,37			274,82	237,43
	30		390,25	401,69			389,28	390,99
	35		581,70	562,51				580,41
	40		821,34	762,56				818,00
	45		1.126,18	1.018,18				1.115,01
	50		1.436,90	1.279,10				1.420,04
	55		1.876,55	1.334,41				1.813,94
	60		2.236,48	2.040,27				2.204,79
65		2.790,75	2.777,68				2.786,91	
70 y sup.		3.519,31						3.462,80
Valladolid	10		22,58	19,64				21,43
	15		56,40	52,66		55,37		55,58
	20		127,45	115,45	109,33	99,55		123,57
	25		233,06	211,68	196,97			229,11
	30		392,21	343,15	387,09			385,35
	35		563,01	533,07	587,08	516,42		557,95
	40		773,17	660,56	769,87			751,68
	45		986,65	913,00	862,60			962,56
	50		1.201,90	1.182,78	1.005,88			1.184,03
	55		1.449,53	1.317,41				1.399,42
	60		1.973,80	1.302,58				1.638,19
65		2.396,75					2.230,56	
70 y sup.		4.674,82						4.561,38
Zamora	10		22,14	20,02	21,04	18,15	20,35	20,86
	15		69,87	55,64	56,35	62,20	64,24	64,36
	20		141,89	109,06	116,32	123,74	120,63	132,56
	25		246,05	192,95	184,71	216,77	206,50	233,65
	30		399,19	303,43			323,17	381,79
	35		553,19	456,29				540,69
	40		715,19					703,14
45		914,64					914,64	

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Pino silvestre

Prov	C.D.	1	2	3	4	5	6	Todas
Ávila	10		18,35					18,40
	15		61,59	58,40	59,00		49,95	60,94
	20		136,98	100,26			93,51	134,48
	25		248,94	201,81				247,58
	30		392,18	395,43				389,59
	35		572,30					574,33
	40		817,69					824,85
	45		1.149,17	1.186,20				1.160,75
	50		1.481,60					1.518,51
	55		2.003,87					1.992,57
60		2.354,40					2.497,75	
Burgos	10		20,65	19,24	22,83	25,60	20,04	20,39
	15		70,97	59,90	63,27	60,95	63,19	69,49
	20		152,19	125,49	106,55	118,81	123,83	149,61
	25		284,12	221,88	223,84	188,42	229,23	278,21
	30		463,36	319,85	281,53	403,03	389,01	449,92
	35	680,07	689,50	513,70	482,53	536,27	671,30	674,65
	40		942,76	727,83				927,38
	45	1.153,52	1.251,30	972,04	933,09		1.042,12	1.226,06
	50	1.377,99	1.548,51	1.296,46	1.173,08			1.528,56
	55		1.881,54	1.530,36				1.835,01
	60		2.359,62	1.927,38				2.306,54
65		2.577,97	1.802,58				2.335,66	
70 y sup.		3.343,66					2.964,10	
León	10		21,74	17,77			17,85	21,06
	15		72,01	55,11			53,72	71,13
	20		151,40	139,16			85,18	150,16
	25		258,87	273,15				258,61
	30		420,43					415,71
	35		623,20					624,01
	40		794,31					794,31
	45		1.041,66					1.035,31
	50		1.371,81					1.371,81
	60		2.256,96					2.296,93
65		2.742,83					2.742,83	
Palencia	10		21,67	17,98				21,41
	15		71,88	60,08				71,54
	20		140,56	123,91				139,93
	25		233,07	203,98				232,51
	30		335,57					336,77
35		455,78					455,78	
Salamanca	10		30,69	20,88				28,89
	15		82,27	62,90			80,93	81,38
	20		151,93					151,89
	25		252,27					252,24
	30		438,92					438,23
	35		711,09					711,09
	40		1.019,77					1.019,77
	45		1.171,27					1.171,27
50		1.538,86					1.522,34	

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica
Pino silvestre

Prov	C.D.	1	2	3	4	5	6	Todas
Segovia	10		24,71	20,06	24,75			23,28
	15	111,26	78,87	66,32	67,51		63,82	77,50
	20	189,31	156,38	130,35				154,64
	25	351,04	282,56	246,86	215,82	172,46		279,36
	30	664,94	483,81	402,12	193,73			475,40
	35	916,59	743,31	626,86				732,19
	40	1.258,36	1.069,76	914,23				1.053,89
	45	1.610,31	1.433,95	1.127,77	832,36			1.400,36
	50	1.990,96	1.811,45	1.574,12	1.477,35			1.787,50
	55		2.225,38	1.782,94	1.523,37			2.179,79
	60		2.614,35	2.213,88				2.562,84
65		3.124,90	2.472,01				2.913,69	
70 y sup.		4.121,44	3.791,11				3.950,04	
Soria	10		20,86	21,56		27,86	19,79	20,96
	15	128,39	70,07	69,66	62,41	79,18	67,93	70,25
	20	208,28	165,10	147,20	140,84		147,99	164,22
	25	366,29	308,31	260,31	263,35	273,87	261,71	307,19
	30	545,43	487,57	413,56	347,90	416,90		482,03
	35	750,17	719,18	590,71	653,62	551,37	563,67	707,50
	40	1.038,79	976,05	774,30	805,36			959,00
	45	1.341,15	1.294,54	1.056,91	1.047,58			1.276,82
	50	1.603,51	1.600,12	1.458,26	1.376,74			1.580,93
	55	2.015,58	1.953,42	1.741,27				1.924,10
	60		2.370,03	2.037,61				2.291,15
65		2.450,43	2.534,08				2.481,80	
Zamora	10		18,90	15,41			19,60	18,75
	15		71,12	48,97			65,82	69,55
	20		157,77				141,20	155,46
	25		284,35					282,58
	30		463,06					451,59
	35		749,93					749,93

Pino carrasco

Prov	C.D.	1	2	3	4	5	6	Todas
Pa	10		23,51	27,42				24,40
	15		41,90	43,34				42,41
	20		71,59					70,07
Va	10		16,98	16,08	14,16			16,38
	15		47,25	37,88				44,16
	20		92,85	95,80				93,37
	25		142,87	140,37				141,98

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Pino piñonero

Prov	C.D.	1	2	3	4	5	6	Todas
Ávila	10		18,48	20,95				19,23
	15		47,32	42,35				46,11
	20		100,66	96,14				100,28
	25		163,89	129,19				160,90
	30		261,28					261,28
	35		350,25					349,41
	40		437,22					436,93
	45		648,28					639,72
	50		785,12					780,94
	55		982,16					971,72
	60		1.317,95					1.317,95
65		1.178,17					1.204,74	
70 y sup.		2.740,07					2.740,07	
Burgos	10							28,23
	15		60,07	52,11				56,83
	20		107,53	115,40				109,73
	25		198,81	141,09				184,38
	30		347,73					333,15
	35		492,58					469,68
	45		688,77					636,75
Segovia	10							24,43
	15		52,64					51,06
	20		113,19	93,08				108,72
	25		187,27	169,23				182,71
	30		281,53	239,82				269,61
	35		416,88					414,13
	40		594,85	545,20				587,13
	45		763,12	748,58				764,09
	50		1.057,52					1.045,05
	55		1.197,59					1.201,71
60		1.566,34					1.589,26	
70 y sup.		2.026,14					2.087,48	
Valladolid	10		18,12	15,76	10,86			17,21
	15		46,64	39,03				45,21
	20		98,18	95,56				98,11
	25		172,28	138,68				170,35
	30		283,26	234,77				281,34
	35		422,65	352,19				419,95
	40		592,14	596,47				592,66
	45		803,71	626,63				800,30
	50		1.035,36					1.035,74
	55		1.280,21					1.276,69
	60		1.569,70					1.569,70
	65		1.888,83					1.888,83
70 y sup.		1.830,45					1.830,45	
Zamora	10		17,31	15,39				17,06
	15		43,93	41,96				43,76
	20		83,15	89,69				84,52
	25		158,85	135,95				154,17
	30		238,55	241,84				239,19
	35		364,99					365,16
	40		580,06					580,06
	45		716,66					718,75
	50		952,85					952,85
55		1.162,29					1.162,29	

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Pino laricio

Prov	C.D.	1	2	3	4	5	6	Todas
Ávila	10		14,08			0,00	0,00	13,89
	15		68,41	46,21		0,00	0,00	66,11
	20		167,94			0,00	0,00	164,14
	25		277,57			0,00	0,00	275,21
	30		441,90			0,00	0,00	434,10
	35		620,93			0,00	0,00	620,93
	45		1.228,29			0,00	0,00	1.228,29
Burgos	10		21,51	16,96				20,10
	15		68,71	64,26				67,83
	20		147,76	133,21				145,86
	25		255,27	220,56				251,30
	30		400,29					396,00
	35		556,29					552,46
	40		731,30					718,32
	45		1.090,90					1.090,90
	50							1.159,42
León	10		19,57	17,55			13,35	19,11
	15		67,93	53,80	56,42		47,48	66,86
	20		145,64					144,45
	25		264,95					264,56
	30		410,68					405,96
	35		705,95					705,95
Palencia	10		17,68	14,52				17,20
	15		60,18	47,13				59,52
	20		126,03	104,88				125,33
	25		217,29					216,60
	30		327,10					327,10
Salamanca	10		28,20	28,10				28,47
	15		72,06	42,17				69,83
	20		146,44	101,17				136,42
	25		295,82	186,23				281,44
	30		472,24					459,03
	35		662,00					554,29
	40							672,81
	45		1.355,04					1.355,04
Segovia	10		19,26					19,20
	15		57,41					56,88
	20		133,17					133,17
	25		230,15					230,15
Soria	10		18,49	20,31				19,06
	15		64,32	60,96				64,18
	20		147,33					147,42
	25		289,52	228,92				286,81
	30		471,00	380,23				460,22
	35		643,50					635,63
	40		796,29	716,84				774,04
	45		1.202,78					1.105,97
	50		1.563,19					1.505,33
Zamora	10		17,87	15,25				18,09
	15		59,98	82,16				62,11
	20		136,81	168,42				146,13
	25		320,07					313,20
	30		486,34					498,69

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Sabina

Prov	C.D.	1	2	3	4	5	6	Todas
Burgos	10		21,16	20,94	19,84	19,84		20,92
	15		49,66	50,02	52,64			49,91
	20		89,38	87,38	79,98			87,49
	25		134,91	141,23	135,65			138,53
	30		175,08	199,34				190,11
	35		242,12	287,45				273,86
	40			391,19				388,24
	45		451,83					401,66
Segovia	10		19,95	17,76		19,10		19,50
	15		52,57	42,06	40,32			46,71
	20		92,90	73,87				82,42
	25		152,53	143,62				145,50
	30		221,84	218,62				217,18
	35		312,83					308,68
	40		433,53					431,59
	45			430,42				438,34
Soria	10		22,38	20,18	18,08	19,92		20,58
	15		49,74	48,24	43,33	39,12		48,29
	20		91,42	84,17	74,84			86,29
	25		140,70	135,67	116,61			136,26
	30		205,68	192,53	175,69			195,93
	35		284,32	258,02	223,44			265,10
	40		384,63	356,93	283,55			353,30
	45		443,84	410,00				415,57
	50			538,86	498,02			542,58
	55		729,07	592,70				630,64
	60			681,50				673,53
	65							868,34
		70 y sup.			1.462,32			

Castaño

Prov	C.D.	1	2	3	4	5	6	Todas
Ávila	10		27,90					31,43
	15		72,65	54,58				66,01
	20		141,04	95,25				123,90
	25		208,22					196,82
	30		331,24					317,40
	35		484,69					464,91
	45		580,11	535,51				558,41
	50							689,51
	55							746,89
	70 y sup.		2.140,57					1.909,66
León	10		26,44					25,59
	15		62,17	63,83				66,07
	20		117,40					120,91
	25		186,81	134,37				176,63
	30		257,99					245,87
	35		275,30	279,23				276,04
	40		415,21					407,52
	45		343,60					361,31
	50		433,47	521,70	493,76			448,41
	55		496,10	663,46				539,20
60		786,56			784,62		761,92	
65		749,04	680,66				722,62	
	70 y sup.		1.603,17	1.577,57	1.890,46	5.953,10		1.888,18
Salamanca	10		28,59	21,52			13,74	26,03
	15		75,55	60,34				72,27
	20		142,13	112,62				134,24
	25		231,96	221,19				229,00
	30		361,68	233,88				309,40
	35		275,26					285,58
	40							392,36
	45							540,72
	50							476,90
	55							548,48
	70 y sup.			2.572,85				2.493,37

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Enebro

Prov	C.D.	1	2	3	4	5	6	Todas
Ávila	10		18,89	17,28				17,68
	15		43,84	37,52				40,28
	20							74,95

Pino insigne

Prov	C.D.	1	2	3	4	5	6	Todas
Burgos	10			24,00				25,03
	15		83,54	51,32				77,47
	20		171,33					170,56
	25		305,87					303,67
	30		558,60					558,60
	35		764,78					768,91
	40		1.128,24					1.128,24
	45		1.399,24					1.394,64
León	50		1.908,07					1.943,69
	10		40,01	15,85				35,58
	15		95,73					95,09
	20		194,71					190,04
	25		331,68				331,68	

Rebollo

Prov	C.D.	1	2	3	4	5	6	Todas
Ávila	10		21,12	16,90	10,20			19,26
	15		63,93	49,12	42,08			59,18
	20		133,68	108,46	92,24			126,55
	25		226,36	170,28				215,36
	30		341,56	273,37				334,80
	35		478,05					460,76
	40		603,89	443,53				559,92
	45		573,54	770,65				638,24
	50		564,61					630,10
	55							848,39
	60							667,99
	65		1.459,68					1.326,51
70 y sup.		1.422,63					1.905,70	
Burgos	10		19,96	26,37	33,66	26,90		22,65
	15		68,77	67,93	69,72	69,48	67,20	68,53
	20		138,17	137,68	126,07	85,81		137,03
	25		222,60	219,14	188,64			220,18
	30		320,03	261,64				303,50
	35		429,80	381,23				412,86
	40		519,74	503,28				503,74
	45		552,40	442,54	461,70			492,33
	50		584,45	500,69	650,11			551,68
	55		710,46	598,38	554,84			645,93
	60		681,81	711,04				701,39
	65		1.441,47	730,79				960,60
70 y sup.		1.617,91	1.372,17	1.501,50			1.438,43	
León	10		18,17	15,52	13,66			16,74
	15		65,80	52,42	40,72			60,34
	20		131,66	106,91	77,74			121,64
	25		216,20	174,29	135,89			202,36
	30		298,05	266,46				281,12
	35		431,53	439,04				427,08
	40		628,94	582,24				595,52
	45		803,45	666,17				744,93
	50		948,76	679,66				846,06
	55		1.088,08	986,65				1.032,36
	60		1.249,38					1.073,95
	65			1.243,60				1.373,35
70 y sup.		3.361,90	3.540,88	2.967,20			3.107,59	

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Rebollo

Prov	C.D.	1	2	3	4	5	6	Todas
Palencia	10		21,31	27,85	31,31	28,55	36,45	25,23
	15		70,59	68,98	67,87			69,79
	20		125,22	113,06				117,28
	25		234,79	188,36	153,90			209,90
	30		306,01	237,47				282,81
	35		493,90	342,74				416,83
	40							559,50
	45							770,77
	70 y sup.				1.748,70			1.975,30
Salamanca	10		20,08	18,33	16,69	16,13		19,46
	15		71,30	60,12	64,31	51,08	54,60	68,39
	20		148,51	120,62		112,96		142,02
	25		245,95	191,38	179,26			235,61
	30		343,94	241,09	182,18			320,15
	35		387,96	301,73	291,91			364,70
	40		498,73	321,36				445,96
	45		518,97	373,14				464,81
	50		506,86	437,11	402,56			482,22
	55		557,65					549,35
	60		578,57	876,88				649,78
	65							672,53
	70 y sup.	1.729,59	2.061,52	1.077,11				1.809,28
Segovia	10		19,55	29,89	27,75			20,78
	15		60,78	69,42				62,21
	20		134,00	136,00				132,53
	25		207,41	191,87	133,02			198,34
	30		288,82	271,73				280,24
	35		412,25	279,97				365,01
	40			382,98				428,64
	45		346,31	470,40				427,80
	50			847,91				767,68
55			1.253,56				1.005,81	
	70 y sup.		1.244,60					1.157,94
Soria	10		19,45	31,68	31,36	17,72	25,96	25,14
	15		62,56	66,93	58,53			63,96
	20		123,13	117,42				121,39
	25		198,17	172,77	245,96			192,35
	30		271,29	246,30				255,67
	35		300,30	247,01				275,06
	40		365,96	282,85				318,47
	45		440,06	434,30				430,16
	50		515,51	419,62				449,01
	55			585,48				568,78
	60			628,41				606,23
65			729,02				729,02	
	70 y sup.		1.518,09	1.192,93				1.416,07
Zamora	10		20,71	17,63	16,29	17,55	19,33	19,25
	15		54,78	49,64	45,89		46,60	51,76
	20		104,63	102,30			96,58	103,40
	25		192,69	178,38	168,95			184,79
	30		295,85	315,18				303,29
	35		410,06	480,11				434,84
	40		793,32	524,07				600,29
	45		733,48	697,91	532,79			688,77
	50		582,30	748,96				688,51
	55							1.189,56
	60							1.221,36
	70 y sup.							2.198,73

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Encina

Prov	C.D.	1	2	3	4	5	6	Todas
Ávila	10		12,32	13,16				12,68
	15		32,87	33,44				33,08
	20		53,82	62,87				56,89
	25		86,04	93,00	107,11			89,25
	30		123,85	136,19				127,52
	35		168,20	171,39				168,53
	40		227,10	229,22				227,18
	45		283,63	296,91				286,48
	50		360,02	366,19				361,70
	55		431,66	433,52				434,21
	60		522,15	566,12				529,66
65		626,05	601,93				616,77	
70 y sup.		1.052,32	1.091,02	1.226,15				1.123,47
Burgos	10		29,53	31,50	31,76	28,72	34,26	30,55
	15		53,50	56,02	47,37	51,58		54,35
	20		75,25	85,94				80,54
	25		105,59	120,59				111,15
	30		146,42	147,91				145,66
	35		184,47	201,84				187,62
	40							241,90
	45		304,52	281,42				297,47
	50		331,19					329,91
	55							408,22
	60							490,27
70 y sup.							908,37	
León	10		13,61	14,51	14,09		11,73	13,59
	15		35,50	34,82	36,16			35,16
	20		61,98	70,33				64,38
	25		118,15	121,70				118,70
	30		140,58	159,23				152,66
	35							209,15
	45							368,86
	50							449,36
Pa	10		35,29	31,25				32,08
	15		50,86	54,02				52,12
Salamanca	10		13,99	12,30				13,21
	15		34,93	35,89	34,91			35,22
	20		57,71	57,83				57,39
	25		87,71	90,33	94,63			88,88
	30		128,56	135,75				129,01
	35		179,45	188,68				180,76
	40		230,24	241,81				231,68
	45		292,59	293,96	311,24			293,11
	50		360,75	372,74	356,31			362,64
	55		438,55	440,61	485,64			439,92
	60		521,33	526,67	510,51			521,93
65		628,32	616,98				624,18	
70 y sup.		915,07	988,16	1.136,47			961,73	
Segovia	10		30,45	30,86				30,48
	15		49,75	53,90				51,08
	20		71,40	81,44				75,42
	25		98,09	110,08				105,76
	30		132,51	143,28				136,66
	35		166,69					170,59
	40		205,01					221,10
	45		293,17					289,90
	50		364,82					364,82
	55		387,72					429,19
	60							508,70
70 y sup.		874,50					797,80	
Soria	10		31,95	33,86	31,77			33,05
	15		50,82	54,43	44,96			52,58
	20		70,91	76,46				73,24
	25		99,19	94,85				97,16
	30		133,05	129,94				130,86
	35		158,88	153,46				153,81
	45							208,62

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Encina

Prov	C.D.	1	2	3	4	5	6	Todas
Valladolid	10		13,76	15,10	13,76			14,31
	15		30,99	34,44				32,19
	20		55,39	60,29				56,37
	25		87,37					88,38
	30		123,94					127,33
	35		176,32					176,78
	40		216,61					216,61
	45		299,95					300,53
	50		378,17					378,17
	55		443,10					443,10
	60		574,43					574,43
	70 y sup.		1.073,83					1.073,83
Zamora	10		13,11	14,43	14,40	12,34		13,79
	15		32,20	34,56	36,80	29,35	30,59	33,78
	20		58,72	61,14	58,12			60,32
	25		89,81	94,44				91,80
	30		128,69	134,25				131,04
	35		176,31	177,24				176,54
	40		224,58	236,83				230,14
	45		285,80	283,25				283,72
	50		360,60	334,84				346,57
	55		433,95	419,32	410,41			422,55
	60		501,35	489,68				494,02
	65							596,40
		70 y sup.						

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Haya

Prov	C.D.	1	2	3	4	5	6	Todas
Burgos	10		32,60	42,24	36,25			36,48
	15		89,29	91,77	76,08		77,30	89,49
	20		184,86	153,37	175,44			178,14
	25		307,98	205,63	259,01			293,09
	30		456,80	299,99			274,69	429,46
	35		613,48	398,78	487,88		407,04	560,36
	40		753,74	530,55				694,94
	45		993,04	788,17	537,06			909,73
	50		1.189,51	1.075,84	599,21			1.114,18
	55		1.449,91	957,82	644,86			1.277,60
	60		1.461,93	1.142,39				1.342,37
65		1.999,18	1.558,84				1.720,89	
70 y sup.		2.608,73	1.832,76	932,42			2.039,86	
León	10		30,17	23,65	16,96	15,00	22,73	26,26
	15		84,13	58,32	42,85	40,08	39,82	71,26
	20		160,17	119,97	98,34		91,09	144,49
	25		267,07	220,54	147,79	141,90		250,71
	30		394,10	314,66	279,74	206,13		370,86
	35		573,18	438,09				541,29
	40		740,66	552,73	392,57			682,96
	45		937,56	755,90	581,48			877,46
	50		1.101,77	1.017,25	885,85			1.047,19
	55		1.193,71	1.175,05	898,27			1.163,55
	60		1.324,71	1.275,73				1.289,35
65		2.049,87	1.329,23				1.798,73	
70 y sup.		2.482,45	2.281,99	2.682,21			2.389,34	
Palencia	10		30,62	56,44				43,07
	15		82,53	88,02	97,22			85,00
	20		151,34	145,56				149,15
	25		240,26	219,67	200,26			234,60
	30		357,76	303,62				345,60
	35		516,71	416,73				489,80
	40		694,10	543,76				657,97
	45		863,73	796,09				830,95
	50		1.046,07					1.021,01
	55		1.242,99					1.121,72
70 y sup.							1.724,15	
Soria	10		45,12	39,06				42,77
	15		95,97	91,85				94,56
	20		171,56	207,10				173,10
	25		283,27	263,27				277,94
	30		416,45	377,70				411,38
	35		523,12	436,43				486,34
	40		734,69	695,91				694,16
	45		819,82	757,15				746,75
	50			861,93				975,12
	55			1.049,90				1.105,66
	65							1.053,05
70 y sup.			2.164,58	944,69			1.576,67	

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Chopo

Prov	C.D.	1	2	3	4	5	6	Todas
Burgos	10		29,72					28,73
	15		93,71	87,41				92,06
	20		218,96	190,77				213,21
	25		398,38	365,48				391,53
	30		700,75	549,47				680,64
	35		945,98					935,62
	40		1.316,50					1.310,91
	45		1.760,45	1.460,48				1.693,79
	50		1.929,31					1.999,94
	55							1.836,34
León	10		26,42					25,92
	15		76,33	100,97				78,65
	20		180,73	142,47				175,96
	25		351,83	328,59				351,34
	30		510,48	586,36				512,86
	35		708,80					713,19
	40		986,01					986,01
	45		1.371,92					1.385,60
	50		1.435,76					1.512,58
	55		2.109,65					2.037,64
Palencia	10		27,92					27,74
	15		89,84					89,76
	20		204,02					204,02
	25		345,03					345,03
	30		590,71					591,51
	35		815,78					813,20
	45		1.496,69					1.476,75
	50		2.046,83					2.042,63
Sa	15		73,61					73,61
	20		164,80					169,69
	25		355,84					355,40
	30		480,07					464,31
Segovia	10		27,78					28,51
	15		93,54					91,72
	20		210,95					209,42
	25		380,04					380,04
	30		537,94					533,25
	35		788,47					788,47
	40		1.086,24					1.070,70
	45		1.414,76					1.388,50
	50		1.766,74					1.766,74
	55		1.798,73					1.798,73
Soria	10		38,83					38,83
	15		112,39					112,42
	20		209,77					210,02
	25		404,81					409,20
	30		546,46					550,42
	35		773,12					748,52
	40		975,83					907,28
	45		1.236,79					1.132,07
	50		1.665,34					1.487,05
		55		1.892,09				
	70 y sup.							2.986,65
Zamora	10		19,40					19,40
	15		75,24					75,24
	20		167,51					161,13
	25		408,83					408,83
	30		643,85					643,85
	35		1.018,25					1.018,25
	40		1.433,10					1.433,10
	45		1.665,37					1.562,29
	50		2.038,09					2.038,09

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Roble albar, carballo

Prov	C.D.	1	2	3	4	5	6	Todas
Burgos	10		29,20	32,10				31,50
	15		104,61	75,33				91,88
	20		202,01	174,12				193,21
	25		319,71	305,07				318,44
	30		490,07					473,97
	35		644,88	560,27				623,92
	40		839,67					812,44
	45		1.177,13	836,51				1.050,30
	50		1.369,50	1.004,02				1.188,54
	55		1.606,11	959,58				1.214,76
	60			974,64				1.023,28
65			1.599,85				1.719,47	
70 y sup.		2.753,85	2.858,96	1.859,04			2.718,32	
León (roble albar)	10		22,86	19,24				21,46
	15		71,27	62,41				68,44
	20		145,33	125,36				137,12
	25		263,32	228,95	150,32	138,62		244,17
	30		364,65	323,61				346,58
	35		505,85	420,02				428,35
	40		747,92	702,81		437,39		623,51
	45		976,99	695,69		431,08		803,12
	50		1.148,80	1.053,82				1.012,30
	55		1.370,76	999,95	1.005,79			1.057,55
	60		1.515,76	1.053,80	1.094,37			1.186,46
65		1.678,45	1.481,58	1.178,87			1.422,65	
70 y sup.		3.698,06	2.795,12	3.471,24	3.548,37		3.329,03	
León (carballo)	10		27,91					24,33
	15		78,69	65,49				72,02
	20		126,45	102,89				118,05
	25		213,44	206,86				199,78
	30		312,94	368,73				322,34
	35		422,89	424,33				422,12
	45							584,17
	50							747,59
	70 y sup.				3.913,98	3.509,22		3.791,64
Palencia	10		30,69	26,26				28,12
	15		84,94	65,87				78,54
	20		152,64	106,80				145,40
	25		251,77	181,35				242,86
	30		365,19	282,16				354,94
	35		545,91	340,03				485,04
	40		739,83	571,00				701,46
	45		831,18	731,70				780,49
	50		1.054,33					907,71
	55			990,63				990,14
	60							1.168,05
70 y sup.		2.972,28	2.690,53	3.033,03			2.803,66	

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Quejigo

Prov	C.D.	1	2	3	4	5	6	Todas
Burgos	10		19,51	26,98	29,25	24,13		23,59
	15		61,52	61,55	59,06	39,50	62,70	61,16
	20		117,25	109,25				113,17
	25		188,91	169,09	165,91			181,53
	30		264,84	189,27				232,07
	35		306,71	274,63				288,76
	40		501,30	328,02				397,18
	45		477,34	353,09	334,71			396,60
	50		522,35	466,46	381,47			464,01
	55		613,13	541,68				583,15
	60							713,72
65				779,31				837,90
70 y sup.					878,42			945,66
Pa	10		33,60	25,46				30,50
	15		55,69	52,09				54,74
	20							78,22
Salamanca	10		21,34					20,16
	15		34,08					36,77
	20		67,29	61,36				65,20
	25		102,64					101,84
	30		148,60					147,89
	35		201,21					198,85
	40		258,15	252,39				254,27
	45		339,79	332,50				336,95
	50		407,79	389,39				401,15
	55		479,34	490,48				483,75
	60		577,91	568,83				573,32
65		655,30					660,77	
70 y sup.		982,83	900,30					986,96
Soria	10		18,94	29,79	24,96			24,36
	15		47,87	52,73				50,35
	20		73,11	77,20				75,04
	25		103,78	106,27				103,89
	30			137,10				139,57
	40							239,99
	55							444,26
70 y sup.		1.182,59	1.144,43	1.007,27			1.132,86	
Va	10		14,12	14,24				14,27
	15		38,41	37,84				38,17
	20		80,20					77,54
	25		133,35					128,14
Zamora	10		13,80					14,39
	15		51,68					41,99
	20		73,96					66,48
	25		135,48					123,43
	30		221,94					196,03
	35		221,87					216,32
	45		305,98					313,12

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Árboles ripícolas

Prov	C.D.	1	2	3	4	5	6	Todas
Ávila	15		47,35					45,33
	20		97,34					85,87
	25		211,28					211,28
	30		274,14					272,03
	45							590,36
	70 y sup.		6.296,69					5.374,18
Burgos	10		18,94	18,21				18,29
	15		54,94	38,55				51,95
	20		94,72					92,38
	25		173,81					189,55
	30							299,16
	35							383,38
	40							598,29
	70 y sup.			5.213,71				5.213,71
León	10							33,92
	15		68,91					65,78
	20		136,42					130,25
	25		212,63					207,65
	30		307,13					295,84
Soria	10			13,60				13,60
	15		49,21					45,24
	25		209,05					209,05
	35		457,64					401,74
Valladolid	10		31,20					31,20
	15		84,35					76,91
	20		171,86					151,02
	25		298,43					227,14
	30		407,68		206,33			282,63
	35							348,57
	45							955,09
Zamora	10							25,98
	15			70,81				66,46
	20			138,22				125,22
	25							190,69
	70 y sup.			1.910,13				1.910,13

Madroño

Prov	C.D.	1	2	3	4	5	6	Todas
Burgos	10			18,16	13,58			15,51
	15			44,82	35,65			41,50
	20			79,19				79,19
	25			123,22				123,04

Aliso

Prov	C.D.	1	2	3	4	5	6	Todas
Za	10			19,37	11,78			17,36
	15			57,65				61,08

Arce

Prov	C.D.	1	2	3	4	5	6	Todas
Bu	10			24,57				21,53
	15		58,04	57,62				57,00
	20							110,43

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Alcornoque

Prov	C.D.	1	2	3	4	5	6	Todas
Salamanca	15		43,84					43,51
	20		100,91					100,91
	25		128,46					131,56
	30		164,64					157,32
	35		240,40					243,38
	45		420,42					430,82
	50		474,41					491,85
	55							622,22
	70 y sup.		1.524,52					1.487,23

Serbal

Prov	C.D.	1	2	3	4	5	6	Todas
Burgos	10		28,54	28,90				27,75
	15		71,60	57,32				63,10
	20		116,55	94,09				104,01
	30			243,02				250,06
León	10		19,40					21,97
	15		53,03	50,65				52,88
	20		102,43					103,84
	25							219,22

Abedul

Prov	C.D.	1	2	3	4	5	6	Todas
León	10		20,58					20,12
	15		50,51	60,54				53,85
	20		111,36					105,11
	25		204,34					195,26
	30		345,96					324,94

Eucalipto

Prov	C.D.	1	2	3	4	5	6	Todas
Salamanca	10		24,41					23,60
	15		77,95					79,37
	20		159,14					155,73
	25		270,87					271,97
	30		403,46					379,30

Acebo

Prov	C.D.	1	2	3	4	5	6	Todas
Bu	10		17,10	14,86				14,94
	15		51,00	34,28	36,58			39,92
	20							74,37
León	10		18,73					17,81
	15		53,83	38,27				48,23
	20							74,15
	25							127,85

402a. Volumen maderable con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Fresno

Prov	C.D.	1	2	3	4	5	6	Todas
Ávila	15		60,06	53,59				52,33
	20		89,81					89,81
	25							180,99
	30							248,31
	35			310,76				317,99
	45			413,43				473,98
	50							501,15
	65							838,48
	70 y sup.			1.544,56				1.576,74
Salamanca	10			20,01				20,60
	15		77,04	55,93				63,77
	20		141,25	115,64				130,87
	25		210,24	171,71				197,40
	30							249,92
	35			272,11				283,05
	40							385,23
	45			514,29				497,02
	50							681,71
	55							733,81
	65							824,71
	70 y sup.			1.276,87				1.301,49
Segovia	10							18,19
	15			41,40				45,62
	20							105,17
	25		188,36	130,80				156,96
	30		306,56					254,38
	45			456,69				569,38
	50		794,63	492,16				618,19
	55			538,98				679,56
	60		1.302,73	734,08				971,02
	70 y sup.		1.968,52	2.510,87				2.107,31

Otras frondosas

Prov	C.D.	1	2	3	4	5	6	Todas
Ávila	10			18,08				18,10
	15		62,47					62,47
	25							142,59
León	10		14,67	19,94				16,63
	15		56,10	58,34				56,80
	20			108,27				105,41
	25		204,78					218,48
	30							316,42
	40		659,71					652,13
	70 y sup.							2.297,47
Salamanca	10		18,42	11,52				17,04
	15		57,95					54,32
	20							98,52
	25		227,14					198,96
	30		288,88					255,52
Segovia	15							52,13
	20		144,11					140,72
	25		217,49					217,49
	30		277,64					286,08
Soria	10		23,15	16,40				17,66
	15			30,81				38,98
	20			75,95				76,38

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Pino negral

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		5,08	5,04	5		5	5,06
	15		6,48	6,04	5,77		6,82	6,4
	20		8,6	7,69	6,92		8,39	8,49
	25		11,36	9,51	8,18		11,23	11,19
	30		14,7	13,63	0		13,86	14,62
	35		18,48	17,59	16,05		17,92	18,41
	40		23,01	19,6	17,46			22,82
	45		26,8	25,28			26,34	26,67
	50		30,62	27,06				30,4
	55		33,62	27,08				32,96
	60		36,64	38,99				36,77
65		44,1	37,96				42,69	
70 y sup.		48,24	46,48			41,69	47,51	
Burgos	10		2	2,46	3,1	3,14		2,26
	15		3,73	3,7	3,61	3,72	4,04	3,72
	20		5,33	4,88	4,63	4,5	5,07	5,23
	25		7,03	6,25	6,57	5,66	6,14	6,85
	30		9,17	7,92	9,24	7,94	8,51	8,97
	35		11,59	9,55	10,36	9,62	10,8	11,12
	40		14,82	12,53	13,06	10,04	14,15	14,29
	45		17,84	16,05	15,1	11,68	18,43	17,19
	50		21,28	20,47	17,1	18,13		20,36
	55		23,88	23,95	21,22	18,44		22,55
	60		26,29		17,65			22,75
65		28,09		21,17			24,84	
70 y sup.							24,95	
León	10		5	5	5	5	5	5
	15		5,23	5,24	5	5,07	5,09	5,22
	20		7,12	6,93	6,64	6,8	6,86	7,09
	25		9,85	8,71	8,97		8,54	9,74
	30		12,66	10,85	10,7		11,07	12,48
	35		16,69	12,39			14,25	16,24
	40		20,65					20,41
	45		25,53					26,06
50							29,02	
Palencia	10		4,82	4,45	4,22			4,52
	15		6,18	5,73		5,45		5,98
	20		8,64	7,97				8,52
	25		11,67	10,58				11,58
	30		16,08	16,79				16,12
	35		20,92					21
	40		26,38					26,55
45		32,78					32,19	
Salamanca	10		5,02	5,06	5		5	5,02
	15		6,28	5,85	6,09	5,62	5,83	6,21
	20		9,6	8,44	8,29		9,79	9,52
	25		14	12,4		10,28	13,02	13,9
	30		19,27	15,9				19,17
	35		26,2					26,15
	40		34,92					34,44
	45		41,23					40,58
50		46,39					46,39	
55		52,39					52,39	
Segovia	10		2,43	2,31				2,45
	15		5,96	4,99	4,64	4,21	6,97	5,69
	20		9,21	7,64	6,57	4,98	9,27	8,79
	25		11,6	10,32	8,66	8,33	10,84	11,31
	30		14,36	12,81	11,8	11,43	13,88	13,99
	35		17,29	15,44	13,83	11,87	17,28	16,84
	40		20,5	18,08	17,95		17,74	19,93
	45		23,69	20,26	19,5	21,18	23,36	22,79
	50		26,68	22,99	22,17	23,51		25,54
	55		29,23	25,32	26,29			27,81
	60		31,09	28,74	27,4			29,84
65		35,59	32,41	30,37			33,4	
70 y sup.		33,66	33,58	34,22			33,72	

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Pino negral

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Soria	10		2,34	3,1	3,6			2,43
	15		5,21	5,23	5,69		5,58	5,21
	20		7,41	7	7,33		7,39	7,4
	25		9,11	9,18			9,69	9,11
	30		11,33	11,34			10,97	11,33
	35		13,97	13,5				13,94
	40		16,79	15,98				16,74
	45		19,94	18,77				19,82
	50		22,56	21,15				22,41
	55		25,08	21,48				24,67
	60		26,53	25,78				26,4
65		26,98	27,09				27,01	
70 y sup.		23,7					23,77	
Valladolid	10		5,11	5				5,07
	15		5,7	5,5		5,6		5,66
	20		7,94	7,59	7,35	6,61		7,81
	25		10,52	9,75	8,95			10,37
	30		13,59	11,98	11,34			13,32
	35		16,11	14,63	14,22	12,52		15,78
	40		19,7	15,61	15,89			18,74
	45		21,19	18,15	15,66			20,18
	50		22,8	20,65	17,18			21,72
	55		25,61	21,09				23,9
	60		27,84	17,78				22,81
65		30,5					28,45	
70 y sup.		27,86					28,63	
Zamora	10		5,03	5	5,03	5,07	5,01	5,02
	15		6,27	5,61	5,68	5,95	6,03	6,02
	20		8,86	7,42	7,84	8,24	8,02	8,46
	25		12,48	10,5	10,13	11,49	10,95	12,01
	30		17,67	14,4			15,14	17,08
	35		22,74	19,62				22,34
	40		28,06					27,68
45		34,28					34,28	

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Pino silvestre

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		5,19					5,21
	15		7,16	7,26	7,35		5,5	7,12
	20		9,78	8,61			8,39	9,7
	25		12,64	11,63				12,61
	30		15,93	15,83				15,87
	35		19,57					19,61
	40		23,73					23,83
	45		28,2	28,56				28,24
	50		30,41					30,51
	55		32,07					32,07
60		29,41					29,3	
Burgos	10		2,46	2,34	2,79	3,71	2,45	2,45
	15		5,54	4,78	4,75	5,08	5,32	5,44
	20		6,82	6,17	5,65	6,19	6,56	6,76
	25		8,02	7,2	7,18	6,87	7,35	7,94
	30		9,61	7,98	7,64	9,08	8,96	9,46
	35	11,45	11,51	9,73	9,49	10,24	11,35	11,36
	40		13,5	11,62				13,36
	45	15,06	15,74	13,54	13,09		14,14	15,54
	50	16,63	17,68	15,82	14,86			17,54
	55		19,64	17,41				19,35
60		21,97	19,7				21,69	
65		22,64	18,86				21,46	
70 y sup.		24,48					22,76	
León	10		5,03	5			5	5,03
	15		6,26	5,61			5,56	6,23
	20		9,4	8,99			6,85	9,35
	25		13,4	13,94				13,39
	30		18,76					18,6
	35		24,51					24,54
	40		28,62					28,62
	45		33					32,92
	50		35,76					35,76
	60		28,37					27,78
65		18,02					18,02	
Palencia	10		2,63	2,54				2,62
	15		5,83	5,33				5,82
	20		9,12	8,43				9,09
	25		13,2	11,97				13,18
	30		17,23					17,27
	35		21,16					21,16
Salamanca	10		5	5				5
	15		6,02	5,45			6,19	6
	20		10,05					10,05
	25		15,82					15,82
	30		25,38					25,35
	35		36,67					36,67
	40		46,59					46,59
	45		49,62					49,62
50		53,76					53,68	
Segovia	10		4,38	3,05	2,94			3,94
	15	9,97	9,02	7,32	6		7,82	8,77
	20	10,54	10,19	8,89				10,06
	25	11,77	11,23	10,59	9,84	8,34		11,15
	30	14,29	12,81	11,96	8,81			12,71
	35	16,43	14,96	13,97				14,86
	40	19,53	17,84	16,44				17,7
	45	22,96	21,25	18,51	16,45			20,96
	50	26,86	25,05	22,95	21,8			24,84
	55		29,51	25,32	22,29			29,07
	60		34,01	29,67				33,45
65		40,34	33,24				38,01	
70 y sup.		54,3	50,1				52,08	

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Pino silvestre

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Soria	10		2,77	2,95		3,95	2,49	2,79
	15	7,19	5,93	5,72	5,74	5,96	6,16	5,92
	20	8,15	7,61	7,29	7,06		7,42	7,59
	25	9,97	9,31	8,65	8,74	8,74	8,77	9,29
	30	11,85	11,24	10,39	9,46	10,49		11,17
	35	13,77	13,48	12,19	12,72	11,69	11,99	13,36
	40	16,1	15,58	13,9	14,02			15,44
	45	17,99	17,7	15,85	16,21			17,56
	50	19,1	19,09	18,09	18,09			18,97
	55	20,41	20,16	19,17				20,02
	60		20,02	19,49				19,92
65		19,4	20,25				19,72	
70 y sup.		16,84	11,78				14,71	
Zamora	10		5,04	5,04			5,04	5,04
	15		6,61	5,57			6,37	6,54
	20		10,81				10,03	10,7
	25		16,72					16,64
	30		24,55					24,06
	35		35,86					35,86

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Pino piñonero

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		5,02	5,02				5,02
	15		5,26	5,22				5,25
	20		5,9	5,9				5,9
	25		6,74	6,17				6,69
	30		8,06					8,06
	35		9,07					9,06
	40		9,77					9,76
	45		13,11					12,94
	50		14,63					14,57
	55		16,98					16,8
	60		21,44					21,44
65		18,31					18,74	
70 y sup.		31,87					31,87	
Burgos	10							3,46
	15		4,16	3,99				4,09
	20		5,19	5,35				5,23
	25		7,08	5,9				6,79
	30		9,92					9,65
	35		12,52					12,13
	40							14,79
45		15,54					15,54	
Segovia	10							3,44
	15		4,16					4,12
	20		5,67	5,18				5,56
	25		7,49	7,05				7,38
	30		9,71	8,73				9,43
	35		12,77					12,71
	40		16,49	15,53				16,34
	45		19,79	19,53				19,81
	50		24,92					24,72
	55		26,98					27,05
60		31,89					32,14	
70 y sup.		36,03					36,33	
Valladolid	10		5	5	5			5
	15		5,11	5,02				5,1
	20		5,85	5,7				5,84
	25		6,92	6,02				6,87
	30		8,79	7,74				8,75
	35		11,05	9,31				10,98
	40		13,66	13,27				13,65
	45		16,72	13,34				16,64
	50		19,76					19,77
	55		22,6					22,56
	60		25,79					25,79
	65		29,23					29,23
70 y sup.		20,94					20,94	
Zamora	10		5	5				5
	15		5,03	5				5,03
	20		5,42	5,71				5,48
	25		7,23	6,7				7,12
	30		9,54	9,45				9,52
	35		12,89					12,88
	40		17,92					17,92
	45		21,92					21,94
	50		27,7					27,7
55		33,44					33,44	

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Pino laricio

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		6,34					6,34
	15		7,75	7,18				7,69
	20		10,28					10,18
	25		12,97					12,91
	30		16,82					16,63
	35		20,78					20,78
	45		32,17					32,17
Burgos	10		2,65	2,27				2,53
	15		5,8	5,69				5,78
	20		8,3	7,91				8,25
	25		11,02	10,16				10,92
	30		14,4					14,3
	35		17,64					17,56
	40		20,8					20,57
	45		25,66					25,66
León	10		5,05	5,01			5	5,04
	15		6,55	5,82	6,14		5,67	6,5
	20		9,45					9,41
	25		13,53					13,52
	30		18,05					17,91
	35		25,81					25,81
	Palencia	10		2,44	2,2			
15			5,66	4,91				5,62
20			9,43	8,77				9,41
25			13,84					13,81
30			17,77					17,77
Salamanca	10		5,02	5				5,01
	15		5,84	5,09				5,79
	20		8,15	6,73				7,84
	25		12,83	9,4				12,38
	30		18,36					17,95
	35		24,31					20,93
	45		46,12					46,12
Segovia	10		4,27					4,27
	15		5					4,99
	20		6,39					6,39
	25		8,08					8,08
Soria	10		2,16	2,24				2,2
	15		4,93	4,62				4,92
	20		6,65					6,64
	25		8,67	7,56				8,62
	30		11,23	9,27				11
	35		13,28					13,1
	40		14,68	14,16				14,53
	45		18,8					17,58
Zamora	10		5	5				5
	15		6,15	7,44				6,27
	20		9,51	9,57				9,58
	25		6,65					6,85
	30		5					5

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Pino carrasco

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Pa	10		1,4	1,92				1,52
	15		3,53	3,65				3,57
	20		5,19					5,24
Va	10		5	5	5			5
	15		5,08	5				5,05
	20		6,35	6,41				6,36
	25		7,96	7,98				7,97

Pino insigne

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	10			9,13				9,18
	15		11,96	10,43				11,67
	20		16,15					16,11
	25		22,61					22,5
	30		34,84					34,84
	35		44,93					45,13
	40		62,93					62,93
	45		76,57					76,34
	50		102,62					104,47
León	10		6,88	5,14				6,57
	15		12,22					12,16
	20		21,37					20,94
	25		32,75					32,75

Sabina

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	10		1,04	1,04	1,03	1,03		1,04
	15		1,36	1,36	1,39			1,36
	20		1,79	1,77	1,69			1,77
	25		2,28	2,35	2,29			2,32
	30		2,71	2,97				2,87
	35		3,42	3,9				3,76
	40			4,96				4,93
	45		5,57					5,06
Segovia	10		1,03	1,01		1,02		1,03
	15		1,39	1,27	1,26			1,32
	20		1,83	1,62				1,71
	25		2,47	2,38				2,4
	30		3,21	3,18				3,16
	35		4,16					4,12
	40		5,39					5,37
	45			5,35				5,43

Rebollo

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		5	5	5			5
	15		5	5	5			5
	20		5,13	5,01	5			5,1
	25		6,01	5,38				5,89
	30		7,36	6,42				7,27
	35		8,89					8,64
	40		10,16	7,93				9,51
	45		9,6	11,63				10,29
	50		9,16					9,87
	55							11,33
	60							9,58
	65		14,47					13,66
	70 y sup.		11,78					13,96
	Burgos	10		1,22	1,74	2,18	1,94	
15			2,86	2,67	2,63	2,83	2,75	2,8
20			3,61	3,44	3,3	2,28		3,54
25			4,25	4,05	3,75			4,18
30			5,12	4,02				4,81
35			6	5,06				5,69
40			6,34	6,19				6,13
45			5,74	4,37	4,63			5,01
50			5,61	4,43	6,11			5,13
55			6,44	4,92	4,42			5,57
60			5,37	5,64				5,55
65			13,52	5,52				8,09
70 y sup.			12,71	9,64	11,27			10,52

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Rebollo

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
León	10		5	5	5			5
	15		5	5	5			5
	20		5	5	5			5
	25		5,06	5,01	5			5,05
	30		5,32	5,26				5,28
	35		6,05	6,13				6,03
	40		6,99	7,14				6,92
	45		8,13	7,61				7,82
	50		9,09	7,38				8,24
	55		9,68	9,74				9,39
	60		10,43					9,02
65			9,92				10,46	
70 y sup.		20,15	21,94		13,27		18,02	
Palencia	10		1,07	1,96	2,51	2,5	2,52	1,61
	15		2,86	2,74	2,63			2,8
	20		3,58	3,24				3,36
	25		4,98	4,11	3,06			4,48
	30		5,38	4,13				4,93
	35		7,5	4,99				6,19
	40							8,59
	45							10,15
	50							9,81
	70 y sup.				8,2			9,9
Salamanca	10		5	5	5	5		5
	15		5	5	5	5	5	5
	20		5,1	5,03			5,02	5,08
	25		6,24	5,69	5,32			6,13
	30		7,65	6,21	5,17			7,31
	35		8,03	6,35	6,4			7,6
	40		8,82	6,02				7,99
	45		8,33	5,71				7,39
	50		6,73	5,6	5,6			6,46
	55		6,42					6,3
	60		5,63	10,31				6,78
65							6,26	
70 y sup.		9,74	14,42		9,15		11,43	
Segovia	10		0,84	1,27	1,15			0,89
	15		2,16	2,1				2,14
	20		3,3	3,19				3,21
	25		4,29	3,98	2,73			4,1
	30		5,37	4,81				5,11
	35		6,94	4,4				6,03
	40			5,89				6,66
	45		5,02	6,41				5,89
	50			10,77				9,78
	55			13,73				11,21
60							5,48	
70 y sup.			9,3				9,15	
Soria	10		1,12	1,72	1,87	1,06	1,48	1,41
	15		2,36	2,22	2,34			2,31
	20		3,26	2,68				3,04
	25		4,28	3,26	4,95			3,97
	30		4,88	4,24				4,51
	35		4,31	2,98				3,68
	40		4,46	3,08				3,67
	45		4,88	5,12				4,92
	50		5,26	3,84				4,26
	55			5,44				5,15
	60			4,88				4,77
65			5,41				5,41	
70 y sup.			8,5		8,32		8,4	
Zamora	10		5	5	5	5	5	5
	15		5	5	5		5	5
	20		5,06	5			5	5,03
	25		5,89	5,65	5,73			5,78
	30		7,23	7,46				7,3
	35		8,82	9,73				9,09
	40		14,69	9,75				11,21
	45		12,22	11,46	7,24			11,23
	50		8,32	10,59				9,59
	55							15,63
	60							15,08
70 y sup.							8,45	

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Haya

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	10		2,68	2,63	2,55			2,66
	15		3,22	3,03	2,97	2,97	3,03	3,16
	20		4,16	3,48	3,84			4,01
	25		5,32	3,78	4,71			5,1
	30		6,67	4,68		4,59		6,33
	35		8,04	5,48	6,63	5,24		7,4
	40		9,1	6,64				8,46
	45		11,13	9,09	6,24			10,28
	50		12,84	11,75	6,97			12,09
	55		14,63	9,99	6,9			12,99
	60		14,28	11,17				13,12
65		18,29	14,01				15,69	
70 y sup.		20,3	14,76	7,93			16,23	
León	10		5	5	5	5	5	5
	15		5	5	5	5	5	5
	20		5	5	5		5	5
	25		5,08	5	5	5		5,06
	30		5,67	5,28	5,09	5		5,56
	35		7,06	6,03				6,82
	40		8,43	6,83	5,61			7,95
	45		9,8	8,39	6,81			9,32
	50		10,84	10,37	9,29			10,48
	55		11,25	11,28	8,81			11,04
	60		11,97	11,7				11,75
65		15,92	11,75				14,44	
70 y sup.		15,07	12,91	13,78			13,76	
Palencia	10		2,44	3,32				2,86
	15		3,14	3,28	3,46			3,21
	20		4,05	3,77				3,96
	25		5,2	4,79	4,56			5,09
	30		6,65	5,74				6,46
	35		8,49	6,9				8,07
	40		10,42	8,53				9,97
	45		12,13	11,47				11,76
	50		13,82					13,43
	55		15,38					13,66
	60							12,7
70 y sup.							9,57	
Soria	10		2,94	2,9				2,92
	15		3,27	3,25				3,26
	20		3,76	3,99				3,77
	25		4,48	4,35				4,45
	30		5,31	5,07				5,28
	35		5,97	5,44				5,75
	40		7,24	7,01				6,99
	45		7,74	7,36				7,3
	50			7,96				8,6
	55			9,03				9,33
	65							9,03
70 y sup.			14,44	8,45			11,57	

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Chopo

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	10		5,96					5,9
	15		9,69	9,33				9,6
	20		16,55	15,06				16,25
	25		25,5	23,81				25,15
	30		38,09	32,04				37,28
	35		46,37					45,89
	40		54,71					54,61
	45		59	57,22				58,6
	50		59,26					58,63
	55							56,56
León	10		17,73					17,71
	15		20,04	21,16				20,15
	20		24,71	23,03				24,5
	25		31,91	30,98				31,89
	30		38,09	40,87				38,15
	35		45,03					45,17
	40		53,43					53,43
	45		63,01					63,33
	50		64,43					65,54
	55		73,33					72,63
Palencia	10		17,8					17,79
	15		20,65					20,65
	20		25,72					25,72
	25		31,61					31,61
	30		40,97					41,01
	35		48,52					48,45
	45		64,61					64,31
	50		71,66					71,77
Sa	15		19,92					19,92
	20		24					24,22
	25		32,11					32,09
	30		37,01					36,39
Segovia	10		17,8					17,83
	15		20,82					20,74
	20		26,01					25,94
	25		33,03					33,03
	30		39,06					38,88
	35		47,64					47,64
	40		56,31					55,83
	45		63,86					63,17
	50		69,4					69,4
	55		68,65					68,65
Soria	10		4,34					4,34
	15		8,07					8,07
	20		12,86					12,87
	25		21,81					22
	30		27,9					28,07
	35		36,82					35,86
	40		44,11					41,46
	45		52,06					48,43
	50		62,69					57,36
	55		66,13					66,13
	70 y sup.							60,79
Zamora	10		17,4					17,4
	15		19,99					19,99
	20		24,13					23,84
	25		34,19					34,19
	30		42,84					42,84
	35		54,51					54,51
	40		64,36					64,36
	45		68,35					65,47
	50		72,82					72,82

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Roble albar, carballo

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	10		3,49	3,53				3,52
	15		4,33	3,85				4,13
	20		5,43	4,83				5,27
	25		6,55	6,55				6,55
	30		8,31					8,1
	35		9,84	9,13				9,61
	40		11,38					11,03
	45		13,89	9,97				12,47
	50		14,67	11,43				13,05
	55		16,03	9,43				12,02
	60			7,76				8,11
65			13,84				14,85	
70 y sup.		19,85	13,15		9,6		14,46	
León	10		5	5				5
	15		5	5				5
	20		5	5				5
	25		5,1	5,06	5	5		5,08
	30		5,6	5,55				5,55
	35		6,36	5,96				5,99
	40		7,54	7,46			5,51	6,77
	45		9,13	7,05			5	7,85
	50		10,02	9,11				8,91
	55		11,37	8,15	8,46			8,76
	60		11,54	8,4	7,38			8,87
65		11,39	10,18	8,1			9,67	
70 y sup.		16,37	14,18	15,11	16,24		15,36	
Palencia	10		3,13	3,1				3,11
	15		3,53	3,39				3,48
	20		4,03	3,69				3,98
	25		4,74	4,23				4,68
	30		5,54	4,96				5,47
	35		6,79	5,37				6,37
	40		8,08	6,94				7,82
	45		8,68	8,01				8,34
	50		10,09					9,16
	55			9,67				9,65
	60							10,75
70 y sup.		18,13	18,22	17,9			17,52	

Quejigo

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	10		1	1,45	1,65	1,45		1,25
	15		2,02	1,98	1,93	1,57	1,94	1,99
	20		2,8	2,54				2,68
	25		3,67	2,92	2,85			3,41
	30		4,39	2,73				3,65
	35		4,21	3,61				3,88
	40		5,99	4				4,77
	45		4,78	3,29	3,21			3,85
	50		4,29	3,98	3,44			3,96
	55		4,77	3,99				4,47
	60							4,72
65			5,18				4,89	
70 y sup.					5,57		5,31	
Pa	10		1,12	0,99				1,07
	15		1,47	1,41				1,45
	20							1,82
Salamanca	10		5					5
	15		5					5
	20		5	5				5
	25		5					5
	30		5					5
	35		5					5
	40		5	5				5
	45		5	5	5			5
	50		5	5				5
	55		5,1	5,16				5,12
	60		5,78	5,71				5,75
65		6,35					6,39	
70 y sup.		8,57	8,04				8,56	

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Quejigo

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Soria	10		0,77	1,08	1,12			0,93
	15		1,51	1,46				1,48
	20		1,81	1,73				1,74
	25		1,77	1,84				1,77
	30			2,25				2,08
	40							2,05
	55							2,74
	70 y sup.		5,45	4,78	4,44			4,92
Va	10		5	5				5
	15		5	5				5
	20		5					5
	25		5					5
Zamora	10		5					5
	15		5					5
	20		5					5
	25		5					5
	30		5					5
	35		5					5
	45		5,06					5,05

Castaño

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		5					5
	15		5	5				5
	20		5,25	5				5,16
	25		6,01					5,88
	30		7,51					7,34
	35		9,25					9,03
	45		10,23	9,78				10,01
	50							11,29
	55							11,91
	70 y sup.		14,83					16,15
León	10		5					5
	15		5,02	5,01				5,02
	20		5,21					5,23
	25		5,56	5,26				5,51
	30		5,84					5,78
	35		5,63	5,99				5,7
	40		6,36					6,31
	45		5,28					5,66
	50		5,39	6,94	6,65			5,81
	55		5,57	7,3				6,1
	60		7,35		8,39			7,51
	65		6,92	7,05				7,03
	70 y sup.		9,71	10,62	10,02	9,77		10,13
Salamanca	10		5	5			5	5
	15		5	5				5
	20		5,12	5,07				5,11
	25		6,44	6,26				6,4
	30		8,52	6,05				7,58
	35		6,24					6,57
	40							7,28
	45							8,46
	50							5,54
	55							5,92
	70 y sup.			14,94				16,15

404a. Incremento anual del volumen con corteza (dm³) del pie medio por especie, calidad y clase diamétrica

Árboles ripícolas

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	15		7,88					7,82
	20		9,34					9
	25		12,59					12,59
	30		14,38					14,32
	45							22,88
	70 y sup.		73,23					70,96
Burgos	10		7,05	7,03				7,03
	15		8,1	7,62				8,01
	20		9,26					9,19
	25		11,54					11,98
	30							15,09
	35							17,4
	40							23,19
		70 y sup.			80,78			
León	10							5,32
	15		6,04					5,97
	20		7,45					7,32
	25		9					8,9
	30		10,87					10,65
Soria	10			6,89				6,89
	15		7,94					7,82
	25		12,54					12,54
	35		19,44					17,88
Valladolid	10		17,96					17,96
	15		20,4					20,06
	20		24,33					23,4
	25		29,71					26,64
	30		34,16		25,79			28,99
	35							31,78
	45							51,99
Zamora	10							5,15
	15			6,08				5,99
	20			7,49				7,22
	25							8,56
		70 y sup.			30,71			

Fresno

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	15		5,85	5,71				5,68
	20		6,48					6,48
	25							8,36
	30							9,71
	35			10,92				11,07
	45			12,82				13,93
	50							14,41
	65							19,31
		70 y sup.			27,23			
Salamanca	10			5,07				5,07
	15		6,21	5,76				5,93
	20		7,55	7,02				7,34
	25		8,95	8,17				8,69
	30							9,74
	35			10,16				10,38
	40							12,29
	45			14,62				14,34
	50							17,45
	55							18,36
	65							19,57
	70 y sup.			24,87				25,59
Segovia	10							4,96
	15			5,45				5,54
	20							6,8
	25		8,51	7,34				7,87
	30		10,85					9,81
	45			13,52				15,49
	50		19,38	14,27				16,4
	55			15,08				17,26
	60		26,27	18,29				21,62
	70 y sup.		31,21	22,56				27,2

404a. Incremento anual del volumen con corteza (dm3) del pie medio por especie, calidad y clase diamétrica

Serbal

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
León	10		5					5
	15		5	5				5
	20		5,15					5,16
	25							6,72

Abedul

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
León	10		6,29					6,26
	15		8	8,57				8,19
	20		11,31					10,98
	25		16,03					15,58
	30		22,24					21,41

Eucalipto

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Salamanca	10		10,77					10,68
	15		16,45					16,6
	20		23,98					23,68
	25		32,38					32,46
	30		39,04					37,81

Aliso

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Za	10			6,22	5,78			6,1
	15			8,4				8,59

Otras frondosas

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Salamanca	10		5	5				5
	15		5					5
	20							5
	25		5					5
	30		5,21					5,16
Segovia	15							4,26
	20		5,62					5,57
	25		6,69					6,69
	30		7,56					7,68
So	10		2,66	2,66				2,66
	15			2,66				2,68
	20			2,74				2,74

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica

Pino negral

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		6,65	6,52	4,81		6,09	6,57
	15		8,78	7,81	5,89		8,85	8,57
	20		10,23	8,28	7,15		10,79	10,03
	25		11,73	9,79	7,90		11,53	11,55
	30		12,84	11,69			11,00	12,74
	35		14,05	12,54	11,42		13,20	13,95
	40		15,75	12,59	12,14			15,61
	45		16,97	15,37			16,58	16,85
	50		18,28	15,58				18,14
	55		18,71	15,44				18,36
	60		18,40	18,83				18,41
65		19,27	18,20				19,06	
70 y sup.		21,89	20,83			21,10	21,61	
Burgos	10		5,55	5,40	4,56	5,11		5,41
	15		7,56	7,31	5,52	6,91	6,28	7,41
	20		9,11	8,50	7,14	7,14	8,42	8,95
	25		10,73	9,96	10,81	9,83	9,91	10,57
	30		11,82	11,08	12,25	11,22	10,74	11,71
	35		12,71	11,84	12,19	11,50	12,89	12,51
	40		14,02	12,42	13,63	12,69	14,50	13,79
	45		14,80	14,10	14,36	11,73	15,50	14,60
	50		15,82	14,75	13,78	13,07		15,26
	55		15,80	15,17	14,30	13,70		15,15
	60		15,61		12,42			14,47
65		16,00		16,31			16,09	
70 y sup.							15,39	
León	10		5,55	5,90	5,64	5,00	5,33	5,66
	15		7,32	7,73	6,12	5,35	6,28	7,29
	20		8,74	9,22	7,50	7,93	8,50	8,75
	25		9,96	9,92	8,60		8,63	9,92
	30		10,55	10,50	10,19		10,11	10,53
	35		11,12	10,79			9,64	11,05
	40		12,30					12,20
	45		12,96					13,00
Palencia	10		6,32	4,65	3,79			4,98
	15		7,11	6,29		5,20		6,73
	20		8,43	7,43				8,25
	25		9,36	8,52				9,29
	30		10,83	11,06				10,84
	35		11,83					11,85
	40		12,61					12,60
45		14,10					13,75	
Salamanca	10		7,13	7,65	7,06		5,17	7,05
	15		9,15	8,27	8,87	6,65	7,66	8,97
	20		10,87	8,99	8,56		11,79	10,75
	25		12,37	10,35		8,20	10,79	12,24
	30		13,34	9,92				13,23
	35		14,95					14,86
	40		17,59					17,19
	45		17,67					17,20
50		16,81					16,81	
55		19,60					19,60	

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Pino negral. Continuación

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Segovia	10		4,68	4,61				4,67
	15		6,70	5,86	4,86	4,33	8,08	6,43
	20		8,48	7,16	5,56	4,17	9,56	8,10
	25		10,26	9,44	7,84	6,97	10,20	10,06
	30		11,78	11,31	10,40	8,77	11,94	11,65
	35		12,84	12,53	10,65	9,08	13,35	12,73
	40		13,51	13,17	13,57		12,71	13,43
	45		14,10	13,11	12,32	14,17	13,65	13,83
	50		14,37	13,52	13,28	14,00		14,10
	55		15,01	13,60	14,38			14,53
	60		15,64	14,04	14,00			14,85
65		15,75	15,74	15,08			15,58	
70 y sup.		15,91	15,86	15,17			15,77	
Soria	10		4,98	5,89	5,13			5,08
	15		6,86	7,58	6,38		7,54	6,90
	20		8,68	8,91	9,10		9,61	8,69
	25		10,55	11,11			12,82	10,58
	30		12,21	12,46			13,50	12,23
	35		13,51	13,45				13,51
	40		14,80	13,65				14,73
	45		16,21	14,63				16,05
	50		16,56	14,98				16,39
	55		18,10	14,13				17,64
	60		18,19	15,63				17,75
65		18,58					18,69	
70 y sup.		19,96					19,71	
Valladolid	10		5,20	5,88				5,18
	15		6,92	6,28		5,50		6,76
	20		8,54	7,89	7,83	6,30		8,33
	25		10,08	8,99	8,50			9,88
	30		11,53	9,94	10,45			11,29
	35		12,48	11,81	12,25	11,00		12,34
	40		13,07	11,32	12,61			12,72
	45		13,27	12,33	12,17			12,99
	50		12,93	12,73	12,00			12,81
	55		13,36	12,68				13,10
	60		14,83	12,27				13,55
65		15,00					14,63	
70 y sup.		16,00					15,94	
Zamora	10		6,92	5,87	4,92	5,06	6,33	6,31
	15		8,46	7,21	6,44	7,20	8,12	7,96
	20		9,87	7,84	7,62	9,10	8,84	9,30
	25		11,40	8,82	8,32	10,42	10,11	10,83
	30		12,92	9,67			10,71	12,34
	35		13,43	10,33				13,04
	40		12,81					12,60
	45		12,80					12,80

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Pino silvestre

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		5,54					5,51
	15		7,78	6,69	6,60		6,75	7,66
	20		9,74	7,65			6,90	9,59
	25		11,51	8,75				11,43
	30		12,72	13,08				12,65
	35		13,79					13,82
	40		15,02					15,14
	45		16,84	17,60				17,01
	50		17,85					18,30
	55		20,34					20,27
60		19,80					20,89	
Burgos	10		6,28	6,39	5,05	5,29	6,10	6,28
	15		8,80	7,62	6,77	6,20	7,51	8,61
	20		10,81	8,84	7,38	8,42	9,00	10,62
	25		13,18	10,19	10,31	8,81	10,60	12,90
	30		15,08	10,45	9,47	12,50	12,77	14,65
	35	16,67	16,71	12,75	11,95	12,40	16,44	16,37
	40		17,77	13,62				17,46
	45	17,50	18,71	15,36	14,70		15,08	18,40
	50	16,25	18,98	16,32	15,30			18,75
	55		19,26	17,00				18,96
	60		20,24	17,29				19,88
	65		20,32	15,90				18,94
70 y sup.		19,75					19,35	
León	10		6,39	6,60			5,00	6,40
	15		8,84	7,27			6,19	8,75
	20		10,81	10,37			6,30	10,73
	25		12,24	12,10				12,22
	30		13,96					13,77
	35		15,01					15,00
	40		15,15					15,15
	45		15,96					15,77
	50		16,25					16,25
	60		19,17					19,43
65		19,60					19,60	
Palencia	10		6,06	4,98				5,99
	15		8,58	7,20				8,54
	20		10,17	9,20				10,13
	25		11,57	9,67				11,53
	30		11,98					11,95
	35		12,30					12,30
Salamanca	10		7,13	6,29				6,95
	15		9,79	8,13			9,42	9,70
	20		10,80					10,80
	25		11,93					11,93
	30		14,23					14,23
	35		16,80					16,80
	40		18,08					18,08
	45		17,07					17,07
50		18,63					18,45	

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Pino silvestre. Continuación

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Segovia	10		7,84	6,37	6,45			7,35
	15	13,17	9,58	8,41	7,30		8,08	9,45
	20	14,43	11,11	9,13				11,00
	25	17,26	13,06	11,43	9,88	7,92		12,93
	30	21,92	15,80	13,19	6,40			15,54
	35	22,94	18,11	15,13				17,83
	40	23,88	20,25	16,73				19,88
	45	24,75	21,75	17,06	13,63			21,25
	50	24,85	22,34	19,67	18,92			22,08
	55		22,90	18,64	15,00			22,45
	60		22,57	18,93				22,10
65		22,97	18,81				21,63	
70 y sup.		23,42	21,59				22,47	
Soria	10		6,26	6,92		5,60	6,70	6,33
	15	14,64	8,78	8,83	7,37	8,93	9,14	8,80
	20	14,65	11,77	10,50	9,44		11,40	11,70
	25	16,98	14,31	12,01	11,92	12,63	11,79	14,25
	30	17,97	15,99	13,21	11,28	13,08		15,78
	35	18,44	17,58	14,33	15,86	12,86	14,10	17,29
	40	19,35	18,49	14,41	15,39			18,14
	45	20,30	19,45	16,15	15,30			19,21
	50	19,85	19,57	18,24	16,25			19,37
	55	20,62	19,81	17,66				19,54
	60		20,45	17,77				19,80
65		19,10	18,17				18,75	
70 y sup.		19,33	19,70				19,25	
Zamora	10		5,92	5,95			6,13	5,96
	15		8,87	6,87			8,43	8,73
	20		11,34				10,35	11,20
	25		13,33					13,26
	30		15,38					15,04
	35		18,56					18,56

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Pino piñonero

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		4,06	4,79				4,28
	15		5,70	5,61				5,66
	20		7,40	7,17				7,38
	25		8,04	6,25				7,90
	30		9,35					9,35
	35		9,81					9,79
	40		10,59					10,56
	45		11,85					11,75
	50		12,33					12,29
	55		13,31					13,28
	60		13,82					13,82
65		14,10					14,10	
	70 y sup.		16,08					16,08
Burgos	10							5,40
	15		5,65	4,89				5,34
	20		6,75	6,08				6,58
	25		8,40	6,58				7,88
	30		8,57					8,51
	35							10,64
Sa	15			5,80				6,17
	20			7,08				6,83
	25							7,82
Segovia	10							4,57
	15		5,27					5,16
	20		6,83	5,67				6,57
	25		7,88	7,20				7,72
	30		8,79	7,59				8,44
	35		9,58					9,58
	40		11,01	9,93				10,84
	45		11,73	11,39				11,71
	50		13,35					13,25
	55		12,86					12,91
	60		14,45					14,55
	70 y sup.		13,67					14,00
Valladolid	10		4,61	4,26	3,40			4,47
	15		5,51	5,18				5,46
	20		6,66	6,74				6,68
	25		7,72	6,80				7,67
	30		9,00	7,91				8,96
	35		10,07	9,05				10,03
	40		11,00	10,85				10,99
	45		11,87	10,56				11,84
	50		12,55					12,54
	55		13,01					12,96
	60		13,52					13,52
	65		14,00					14,00
		70 y sup.		12,58				
Zamora	10		4,38	3,90				4,32
	15		5,07	4,90				5,06
	20		6,00	6,00				6,00
	25		7,29	6,61				7,15
	30		8,01	8,06				8,02
	35		9,05					9,05
	40		10,53					10,53
	45		10,79					10,80
	50		11,61					11,61
55		12,17					12,17	

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Pino laricio

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		4,16					4,10
	15		8,04	5,40				7,85
	20		11,80					11,46
	25		13,26					13,14
	30		15,11					14,85
	35		15,25					15,25
	40							
	45		17,63					17,63
Burgos	10		5,73	5,96				5,83
	15		8,02	7,41				7,92
	20		10,26	8,66				10,03
	25		11,94	9,50				11,66
	30		13,30					13,12
	35		14,86					14,62
	40		15,08					14,61
	45		17,85					17,85
	50							15,14
León	10		5,82	5,76			4,89	5,79
	15		8,16	7,26	6,14		6,35	8,07
	20		10,26					10,17
	25		12,25					12,23
	30		13,44					13,31
	35		16,93					16,93
Palencia	10		5,00	4,72				4,95
	15		7,18	6,03				7,12
	20		8,79	7,05				8,73
	25		10,09					10,06
	30		10,95					10,95
Salamanca	10		9,00	9,20				9,12
	15		9,55					9,68
	20		11,01					11,01
	25		15,21					15,27
	30		16,25					16,25
Segovia	10		5,51					5,49
	15		8,02					7,91
	20		10,14					10,14
	25		10,68					10,68
Soria	10		5,29	5,32				5,28
	15		7,93	7,59				7,93
	20		10,22					10,21
	25		12,89	9,25				12,74
	30		14,52	11,39				14,19
	35		15,20					15,06
	40		15,00	12,00				14,16
	45		16,78					15,70
	50		18,50				17,86	
Zamora	10		5,15	5,63				5,33
	15		7,73	10,70				7,98
	20		10,14	12,33				10,59
	25		14,92					14,64
	30		16,13					16,30

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Pino carrasco

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Pa	10		4,44	4,00				4,27
	15		5,84	5,32				5,65
	20							6,20
Va	10		4,82	3,91	3,67			4,27
	15		6,16	5,03				5,78
	20		7,50	6,50				7,32
	25		8,13	7,40				7,85

Pino insigne

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	10			7,02				7,07
	15		12,04	8,00				10,92
	20		13,85					13,74
	25		16,22					16,12
	30		20,87					20,87
	35		21,72					21,79
	40		24,55					24,55
	45		23,81					23,79
León	50		26,14					26,59
	10		11,86	7,20				11,03
	15		13,72					13,67
	20		15,02					14,69
	25		16,64				16,64	

Sabina, enebro

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila (enebro)	10		4,09	4,44				4,17
	15		5,19	5,03				5,10
	20							6,09
Burgos	10		4,18	4,29	4,32			4,23
	15		5,23	5,26	5,02			5,22
	20		6,20	5,85	5,44			5,95
	25		6,47	6,67	6,50			6,58
	30		6,00	6,99				6,60
	35		6,58	8,15				7,64
	40			9,17				8,96
Segovia	45		8,30					7,06
	10		4,05	3,54				3,89
	15		5,53	4,48	4,10			5,02
	20		6,33	4,84				5,54
	25		7,24	6,69				6,83
	30		8,06	7,94				7,83
	35		8,87					8,74
40		10,10					10,19	
Soria	45			8,08				8,28
	10		4,44	4,11	3,61	3,00		4,14
	15		5,22	5,04	4,45	3,94		5,05
	20		6,15	5,61	4,76			5,76
	25		6,69	6,37	5,15			6,41
	30		7,54	6,64	5,42			6,87
	35		8,02	6,91	5,61			7,22
	40		8,50	7,70	5,90			7,64
	45		8,17	6,97				7,20
	50			8,40	7,50			8,42
	55		10,06	7,45				8,21
	60			7,10				7,25
	65							8,10
70 y sup.				9,19			9,59	

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Encina

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		3,94	3,98				3,95
	15		4,82	4,78				4,79
	20		5,27	5,48				5,33
	25		5,67	5,31	4,60			5,51
	30		6,14	5,93				6,08
	35		6,27	6,04				6,21
	40		6,57	6,28				6,44
	45		6,77	6,60				6,70
	50		7,18	7,20				7,10
	55		7,30	7,30				7,28
	60		7,56	6,94				7,46
65		7,77	7,67				7,74	
70 y sup.		8,46	7,55	7,50			8,18	
Burgos	10		4,29	4,31	4,39	3,50	4,50	4,30
	15		5,46	5,61	4,36	4,25		5,45
	20		6,21	6,91				6,49
	25		7,22	7,83				7,40
	30		8,46	7,56				8,09
	35		9,29	10,30				9,03
	40							10,06
	45		10,00	9,14				9,66
	50		10,22					10,27
	55							9,67
	60							11,90
70 y sup.							9,00	
León	10		3,91	4,42	3,80		3,88	3,99
	15		5,17	5,25	4,50			5,12
	20		5,83	6,13				5,91
	25			7,00				6,38
	30			6,40				6,67
	35							6,20
Salamanca	10		4,00	3,86				3,94
	15		5,17	5,03	4,44			5,10
	20		5,49	5,45				5,45
	25		5,71	5,79	5,38			5,72
	30		6,19	5,87				6,14
	35		6,42	6,75				6,43
	40		6,89	6,78				6,88
	45		6,95	6,39	5,88			6,83
	50		7,08	6,91	5,75			7,00
	55		7,44	6,80	6,70			7,30
	60		7,38	6,66	6,00			7,14
65		7,82	7,48				7,66	
70 y sup.		7,88	7,50	7,60			7,72	
Segovia	10		4,21	4,04				4,15
	15		4,97	4,77				4,90
	20		5,77	5,55				5,68
	25		6,75	6,57				6,62
	30		7,15	7,06				7,30
	35		6,56					7,12
	40		6,50					7,20
	45		8,11					8,04
	50		8,83					8,83
	55		8,00					9,07
60							9,57	
Soria	10		4,26	4,37	4,10			4,32
	15		5,27	5,29	4,29			5,27
	20		6,02	5,97				5,99
	25		6,74	6,27				6,54
	30		7,50	7,36				7,39
	35		6,80	7,86				7,23

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Encina. Continuación

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Valladolid	10		4,49	4,66	4,36			4,53
	15		4,87	5,52				5,05
	20		5,14	6,40				5,46
	25		5,14					5,34
	30		5,11					5,60
	35		4,83					5,19
	40		4,78					4,78
	45		5,60					5,59
	50		5,42					5,42
	55		5,06					5,06
60		5,69					5,69	
70 y sup.		5,72					5,72	
Zamora	10		3,82	4,17	4,23	3,75		4,02
	15		4,51	5,02	4,90	3,88	4,50	4,81
	20		5,20	5,29	4,77			5,19
	25		5,62	5,75				5,65
	30		5,75	6,05				5,85
	35		6,27	5,45				6,06
	40		6,54	5,83				6,36
	45		6,50	6,25				6,32
	50		7,41	5,55				6,44
	55		6,44	5,73	5,20			5,87
	60		6,75	6,23				6,45
	65							6,79
	70 y sup.							7,45

Rebollo

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		6,39	5,28	3,90			5,90
	15		8,88	7,06	5,92			8,30
	20		10,60	9,35	7,75			10,19
	25		11,81	9,33				11,33
	30		12,93	10,05				12,58
	35		12,95					12,74
	40		13,94	12,05				13,27
	45		11,00	14,70				11,74
	50		10,88					10,60
	55		10,90					11,11
	60							11,92
	65		17,30					14,86
70 y sup.		16,67	12,43				12,31	
Burgos	10		6,76	6,01	5,42	4,73		6,43
	15		9,11	8,15	7,40	7,63	7,42	8,74
	20		10,69	10,55	9,75	7,90		10,58
	25		11,92	11,65	9,89			11,75
	30		12,58	10,32				11,97
	35		13,14	12,06				12,74
	40		13,01	12,26				12,56
	45		12,26	9,78	11,75			10,97
	50		11,12	9,92	11,60			10,69
	55		11,01	10,47	9,75			10,66
	60		10,93	11,27				11,13
	65		13,67	9,20				10,94
	70 y sup.		12,99	11,66	12,40			12,01

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Rebollo. Continuación

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
León	10		6,87	5,83	4,30			6,26
	15		9,06	7,47	5,52			8,39
	20		10,53	8,68	5,94			9,76
	25		11,53	9,88	7,56			10,93
	30		11,34	10,05				10,75
	35		12,82	12,00				12,32
	40		14,58	12,72				13,45
	45		14,85	11,46				13,47
	50		15,00	10,86				13,05
	55		13,42	11,70				12,50
	60		15,90					12,17
65			11,70				12,60	
70 y sup.		15,43	14,21		11,00			13,32
Palencia	10		6,69	5,80	4,47	4,13	5,70	6,10
	15		9,04	7,91	5,83			8,43
	20		9,45	8,41				8,74
	25		11,14	9,09	7,33			9,99
	30		11,23	9,00				10,40
	35		13,79	10,20				11,85
	40							11,25
	45							12,89
	50							10,22
	70 y sup.				12,28			
Salamanca	10		7,16	6,87	5,72	6,13		7,00
	15		9,69	9,25	8,83	7,28	8,30	9,54
	20		11,41	9,59		7,78		10,96
	25		12,83	10,84	10,17			12,46
	30		13,46	9,91	10,83			12,69
	35		12,35	11,52	9,50			11,96
	40		12,84	9,98				11,93
	45		10,95	9,04				10,17
	50		9,17	9,08	7,33			8,94
	55		9,15					8,87
	60		7,50	9,10				7,47
	65							7,69
	70 y sup.		13,75	13,54	7,81			
Segovia	10		6,25	5,42	4,44			6,12
	15		8,65	7,97				8,48
	20		10,69	10,57				10,35
	25		10,76	10,83	6,40			10,49
	30		12,06	11,92				11,89
	35		12,33	8,90				11,11
	40			11,14				11,61
	45			11,21				10,65
	50			13,23				12,35
55			15,75				13,27	
Soria	10		6,52	6,23	5,05	5,14	6,40	6,32
	15		8,67	7,51	7,10			8,18
	20		9,84	9,06				9,65
	25		10,34	9,22	11,86			10,01
	30		10,85	9,96				10,73
	35		11,65	11,78				11,71
	40		14,25	12,81				13,43
	45		13,00	11,97				12,18
	50		13,38	10,42				11,31
	55			12,04				11,84
	60			11,42				11,05
65			11,50				11,50	
70 y sup.			11,98	11,62				11,83
Zamora	10		6,82	6,25	5,75	5,43	6,59	6,51
	15		8,27	7,70	8,33		7,80	8,02
	20		9,72	8,80			9,60	9,22
	25		11,05	9,74	8,75			10,33
	30		11,68	12,32				11,80
	35		11,56	13,57				12,12
	40		15,25	12,14				12,75
	45		14,75	12,00	12,30			13,27
	50		13,43	12,69				13,10
	55							13,80

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Quejigo

Prov	C.D.	Calidad						Todas	
		1	2	3	4	5	6		
Burgos	10		5,66	5,43	5,02	4,41		5,49	
	15		8,02	7,07	7,06	3,94	6,20	7,51	
	20		9,47	8,37				8,95	
	25		10,76	9,78	8,50			10,33	
	30		10,52	8,43				9,63	
	35		10,34	9,59				9,87	
	40		12,55	8,38				10,00	
	45		11,14	9,42	7,79			9,74	
	50		9,83	9,38	7,50			9,07	
	55		9,60	9,65				9,73	
Pa	60							10,96	
	65			9,17				9,54	
	70 y sup.				10,50			9,91	
	10		4,56	3,65				4,15	
	15		6,25	5,00				5,92	
	20							6,08	
	Salamanca	10		5,90					5,67
		15		5,75					5,46
		20		6,36	5,75				6,14
		25		6,84					6,56
30			7,16					7,02	
35			7,90					7,68	
40			7,65	6,88				7,09	
45			8,78	7,56				8,39	
50			8,48	6,56				7,78	
55			7,71	7,54				7,74	
Sg	60		8,86	7,17				7,96	
	65		8,36					8,39	
	70 y sup.		10,60	9,50				9,44	
	10		5,09					5,05	
	15		7,43					7,37	
	Soria	10		5,40	4,67	3,27			4,97
		15		6,57	5,62				6,06
		20		6,98	6,82				6,93
		25		8,15	7,00				7,73
		30			7,50				8,05
70 y sup.			10,31	8,55	6,94			8,50	
Va	10		4,53	4,47				4,51	
	15		6,09	6,21				6,14	
	20		7,20					7,07	
	25		7,58					7,44	
	Zamora	10		3,80					4,05
15								4,60	
20			5,60					5,35	
25			6,10					5,83	
30								6,14	
35								6,00	
45			6,08					6,21	

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Carballo, roble albar

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos (carballo)	15		12,67	9,21				10,00
	20			13,43				12,08
	25		16,12					16,10
	30		14,83					13,75
	35		17,57					17,44
	40		18,00					17,50
	45		21,78	19,90				21,15
	50		22,08	15,75				20,08
	55		22,00					22,50
65							17,90	
Burgos (roble albar)	10			8,62				8,67
	15		13,32	10,40				12,11
	20		16,79					16,80
	25		18,15	14,50				17,91
	30		19,61					19,25
	35		19,35					18,40
	40		20,50					20,50
	45		22,78	14,57				18,47
	50		19,63	15,39				16,71
	55			11,95				12,62
	60			15,61				15,61
	65			17,13				16,62
70 y sup.		18,22	19,19	14,40			18,26	
León (carballo)	10		8,43					7,55
	15		11,21	10,50				10,57
	20		10,82	9,80				10,30
	25		11,97	12,30				11,30
	30		13,76	15,75				14,00
	35		13,30	13,00				13,16
	45							11,63
	50							11,44
	70 y sup.				16,00	12,81		14,83
León (roble albar)	10		6,85	6,16				6,54
	15		9,89	8,61				9,49
	20		12,01	9,75				11,19
	25		13,52	12,00	7,75	7,06		12,58
	30		13,74	12,15				13,03
	35		14,36	11,33				12,03
	40		16,50	15,00		9,67		13,78
	45		16,31	11,88		7,40		13,55
	50		15,47	14,86				13,91
	55		15,50	11,94	11,90			12,37
	60		15,75	11,00	12,08			12,55
	65		15,35	12,88	11,14			13,05
70 y sup.		14,74	13,01	13,66	14,38		13,90	
Palencia	10		7,22	6,36				6,69
	15		10,36	8,63				9,76
	20		11,49	7,73				10,92
	25		12,59	8,97				12,13
	30		13,32	10,30				12,95
	35		15,16	9,44				13,48
	40		16,50	12,10				15,50
	45		15,21	12,94				14,05
	50		15,57					13,27
	55			12,40				12,32
	60							12,36
70 y sup.		14,70	13,44	12,11			12,70	

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Haya

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	10		9,83	8,54	6,63			9,21
	15		12,77	10,41	9,59	10,79	10,40	12,02
	20		15,57	11,22	13,00			14,63
	25		16,90	10,53	13,50			15,97
	30		17,88	12,16		10,00		16,88
	35		18,04	12,47	14,42	13,40		16,67
	40		17,90	12,81				16,54
	45		18,86	15,42	11,43			17,47
	50		17,97	16,82	11,60			17,17
	55		19,27	14,95	11,40			17,71
	60		17,55	15,79				16,78
65		19,75	18,44				18,71	
70 y sup.		19,26	17,80	11,31			17,28	
León	10		8,64	7,37	6,06	4,59	6,67	7,84
	15		11,23	8,91	6,85	5,78	5,71	10,01
	20		12,86	10,42	9,18		7,50	11,90
	25		14,44	12,25	8,93	9,00		13,68
	30		15,18	12,55	11,85	9,17		14,42
	35		16,68	13,14				15,83
	40		16,95	13,33	9,11			15,77
	45		17,72	14,36	12,20			16,65
	50		17,27	15,46	13,77			16,26
	55		16,64	15,63	14,40			16,20
	60		16,26	14,91				15,67
65		19,53	13,21				17,37	
70 y sup.		17,04	13,74	15,08			15,01	
Palencia	10		8,35	6,54				7,45
	15		10,81	8,91	8,10			9,99
	20		11,88	10,51				11,41
	25		12,91	11,66	9,30			12,54
	30		13,51	11,58				13,05
	35		14,78	12,32				14,12
	40		15,89	12,14				15,02
	45		15,84	14,08				15,08
	50		15,78					15,24
	55		15,13					14,29
60							13,58	
70 y sup.							13,25	
Segovia	15							8,20
	20		11,86					11,67
	25		12,55					12,55
	30		11,80					11,92
Soria	10		9,80	8,94				9,48
	15		11,41	11,28				11,34
	20		13,04	14,63				13,00
	25		15,45	13,64				15,06
	30		16,64	15,38				16,45
	35		16,50	13,79				15,35
	40		18,70	17,60				17,69
	45		17,55	16,05				16,00
	50			16,00				17,92
	55			16,36				17,06
65							13,17	
70 y sup.			16,58	8,40			12,67	

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Alcornoque

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Salamanca	15		5,80					6,00
	20		9,00					9,00
	25		7,25					7,42
	30		6,56					6,30
	35		7,50					7,42
	45		8,17					9,13
	50		7,70					8,69
	55							9,57
	70 y sup		10,50					9,87

Castaña

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Ávila	10		8,09					8,29
	15		10,07	7,81				9,29
	20		12,37	9,71				11,31
	25		13,31					12,39
	30		16,11					15,35
	35		18,27					17,40
	40							
	45		13,71	12,60				13,20
	50							13,70
	55							12,40
	60							
65								
	70 y sup.		16,42					15,63
León	10		8,00					7,75
	15		9,26	9,50				9,68
	20		10,52					10,92
	25		11,35	8,40				10,76
	30		11,92					11,24
	35		9,99	9,50				9,90
	40		12,38					12,16
	45		9,79					9,56
	50		10,18	9,50	9,83			9,81
	55		10,13	10,33				10,05
	60		12,53		9,70			11,84
65		12,76	9,10				11,46	
	70 y sup.		13,29	9,81	11,54	11,70		12,05
Salamanca	10		9,47	7,33			5,55	8,71
	15		11,43	9,72				11,05
	20		12,69	9,86				12,01
	25		13,00	12,50				12,87
	30		14,06	10,17				12,49
	35		9,08					9,30
	45							12,07
	50							10,67
	55							10,60
	70 y sup			14,00				13,81

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Fresno

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Salamanca	10			6,00				6,30
	15			8,70				8,20
	20			9,05				9,64
	25			10,00				10,04
	30							10,20
	35			8,50				9,13
	40							9,50
	45			10,20				9,86
	50							11,29
	55							9,90
65							8,00	
70 y sup			7,94				7,68	
Segovia	45			9,08				10,78
	50		13,20	7,36				9,79
	55			6,72				9,17
	60			7,86				10,69
	70 y sup.		13,83	11,28				12,35

Abedul

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	15							11,43
	25							12,25
	30							11,25
	35			10,60				11,08
León	10		7,18					6,83
	15		8,88	9,06				8,94
	20		9,58					9,39
	25		11,50					10,95
	30		12,40					11,71

Serbal

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	10		8,21	9,00				8,30
	15		10,25	8,46				9,21
	20		11,00	9,00				9,87
	30			11,08				11,35
León	10		7,58					7,94
	15		8,75	7,93				8,59
	20		10,07					10,35
	25							12,50
Pa	10			5,08				5,19
	15			9,00				8,83
	20			11,20				11,20

Alamo blanco

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	20							21,50
	25		25,75					25,85
	30		24,40					24,35
	45							29,09

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Chopo

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	10		9,87					9,91
	15		15,05	13,50				14,64
	20		18,43	16,86				18,09
	25		21,82	20,42				21,53
	30		26,55	21,67				26,12
	35		27,79					27,45
	40		29,65					29,65
	45		30,83					30,19
	50		30,50					30,50
León	10		8,63					8,55
	15		12,04	14,69				12,27
	20		15,71	14,00				15,42
	25		19,37	20,40				19,49
	30		19,97	23,29				20,10
	35		20,93					20,99
	40		21,85					21,85
	45		23,36					23,63
	50		19,50					20,46
	55		24,10					23,25
Palencia	10		8,85					8,96
	15		13,56					13,59
	20		17,27					17,27
	25		19,68					19,68
	30		22,76					22,76
	35		23,89					23,87
	45		26,36					26,08
	50		29,46					29,50
Sa	15		11,42					11,42
	20		14,21					14,42
	25		20,26					20,26
	30		20,64					20,12
Segovia	10		9,21					9,43
	15		13,98					13,70
	20		18,21					18,06
	25		22,18					22,18
	30		22,59					22,37
	35		24,24					24,24
	40		26,47					26,02
	45		27,82					27,19
50		27,33					27,33	
Soria	10		11,43					11,43
	15		16,03					15,97
	20		17,86					17,75
	25		21,89					22,08
	30		22,26					22,33
	35		23,39					22,77
	40		24,03					22,50
	45		24,19					22,42
	50		26,62					24,07
55		26,58					26,58	
Zamora	10		7,63					7,63
	15		11,87					11,87
	20		15,25					14,85
	25		21,51					21,51
	30		24,06					24,06
	35		27,81					27,81
	40		29,71					29,71
	45		29,71					28,04
50		29,96					29,96	

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Serbal

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	10		8,21	9,00				8,30
	15		10,25	8,46				9,21
	20		11,00	9,00				9,87
	30			11,08				11,35
León	10		7,58					7,94
	15		8,75	7,93				8,59
	20		10,07					10,35
	25							12,50
Pa	10			5,08				5,19
	15			9,00				8,83
	20			11,20				11,20

Madroño

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Burgos	10			6,21	5,45			5,69
	15			7,58	6,86			7,17
	20			7,40				7,40
	25			7,78				7,85

Eucalipto

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Salamanca	10		9,20					8,67
	15		12,76					12,88
	20		14,63					14,54
	25		15,90					15,86
	30		17,30					16,50

Acebo

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
León	10		7,00					6,52
	15		7,79	5,69				6,98
	20							6,90
	25							7,70
So	10			4,76				4,85
	15			5,06				4,95

406. Altura total media (m) por especie, provincia, calidad y clase diamétrica. Continuación

Aliso

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
Sa	15		11,55	11,00				11,37
	20		13,03					13,24
	25		14,71					14,71
Za	10			7,95	5,33			7,18
	15			9,73				9,87

Tilo

Prov	C.D.	Calidad						Todas
		1	2	3	4	5	6	
León	20							10,20
	25							14,60
	30							15,14